



ascend

PRICE & SPECIFICATION GUIDE

Version: 12.01.24
prices effective February 1, 2025

Desk**Makers**

revisions

07/23/20	Changed fixed height modesty height to 21-3/4".
12/08/20	Updated base finish options.
01/01/21	Updated pricing and finishes
01/29/21	Corrected pricing on Ascend Desk Shells
03/05/21	Simplified wood edge options
04/09/21	Updated Base pricing
06/25/21	Updated finish and product details
08/19/21	Updated grommet locations
11/19/21	Added Hover Reach and Boost Bases
12/20/21	Updated pricing and finishes
03/31/22	Updated select pricing and skus
4/11/22	Corrected ML-2LEG-EXKT pricing
08/18/22	Added surcharge note
12/01/22	Updated pricing and shroud design
04/26/23	Updated shell details and Lift Base pricing
10/18/23	Updated finishes & wire management
03/15/24	Updated pricing, grommet locations
08/30/24	Updated finishes and pulls
12/01/24	Updated pricing

table of contents

Laminates	4-6
Pulls	7
Edges	8
Height Adjustable Base Finishes	9
Height Adjustable Base Information	10-13
Product Details	14-35
Worksurfaces	36-37
Height Adjustable Bases	38-39
Shrouds and Shells	40-41
Returns	42-44
Bridges	45
Storage	46-49
Modesty Panels	50-55
Accessories	56-57
Terms and conditions	58
Warranty	59

laminate finishes

thermofuse laminate (TFL)

Pricing shown in this price list applies only to TFL finishes currently included in the DeskMakers finish collection. For the most accurate finish list please see deskmakers.com.

high pressure laminate (HPL)

Pricing shown in this price list applies only to non-premium HPLs as follows:

- Wilsonart: Solids, Woodgrains, and Abstracts in Matte (-60) finish,
- Formica: Color Portfolio, Woodgrains, and Patterns in Matte (-58) finish
- Pionite: Solids, Woodgrains, and Abstracts in Suede (N) finish
- Arborite: Solids, Woodgrains, Textures and Abstracts in Matte (CA) finish
- Nevamar: Solids, Woodgrains, Stones and Abstracts in ARP (-T) finish

A minimum charge of \$546 net per HPL color will be applied to each order.

Call customer service for pricing for all other HPLs.

Additional lead times required for HPL orders depending on material availability and order complexity.

high pressure laminate (HPL) pricing chart

Most DeskMakers product is made of Thermofuse laminate (TFL). As such, there is an upcharge for ordering product in high pressure laminate (HPL). This upcharge varies based on the product and the size of the HPL order.

Please note that only the portion of the order in HPL will be calculated to determine the level of HPL upcharges.

HPL is always available with DeskMakers standard 2MM edgebanding. Special order matching PVC 2MM edgebanding may be available for orders \$25,000 List or larger, call customer service for pricing.

Product Category	Option Code	HPL UPCHARGE
WORKSURFACES All Shapes <i>Top surface HPL</i>	OP-HPL1-25-??	60%
CASEGOODS Top HPL only, balance TFL	OP-HPL1-1-??	25%
CASEGOODS Entire Unit HPL	OP-HPL1-4-??	120%
CASEGOODS HPL Drawer Fronts only	OP-HPL1-2-??	20%
CASEGOODS Top HPL and HPL Drawer Fronts	OP-HPL1-3-??	30%

ascend

pulls & hardware

standard pulls

Pulls are included on all drawers and cabinet doors for no upcharge.



101SN



101BL



105SN⁺



103SN



103SN



107SN⁺



115SN



115BL



201SN



125SN⁺



125BL⁺




201BL


*The 125SN/BL pull is 7.5" long. On lateral file drawers and larger cabinet doors a longer 12.5" pull in the same style will be used. This may be identified as a "127SN/BL" pull on your acknowledgment.

* 105 and 107 pulls are only available in the silver nickel 'SN' finish.


edges

**group a**


1-1/8" thick top
2mm PVC edge

**group k**


1-1/8" thick MDF top
2mm PVC Knife edge

**group b**


1-1/8" thick top
3/8" solid wood edge

**group p**

1" thick top
exposed plywood edge


**group c**

1-1/8" thick top
1-1/8" solid wood edge



hover lift base finishes

standard




premium - 10% upcharge (OP-COLOR)




hover reach base finishes

standard




premium - 10% upcharge (OP-COLOR)




hover boost base finishes

standard



premium - 10% upcharge (OP-COLOR)



Hover Lift Height Adjustable Bases




Features

Number of Legs	2 or 3
Height Range w/ Worksurface	27" - 46"
Number of Stages	2
Worksurface Lengths	48" - 84" in 6" increments
Worksurface Depths	24", 30" & 36"
Lifting Capacity	250 lbs (includes worksurface)
Adjustment Speed	1.5"/second
Cord Length	118" long
Finishes	4 standard, 8 at upcharge
Frame	Size Specific
Column Shape	Square
Safety	Anti-Collision Option


Foot Length

A 60" long worksurface is shown in examples below. The base will 9" shorter than the top, with a 4 ½" inset on each side when centered.


24" Deep Worksurface




30" Deep Worksurface



36" Deep Worksurface



* 29" foot may also be specified for 30" worksurfaces.



Standard Up/Down Control

- Standard on Hover Lift bases
- Simple Up/Down function
- After 2 minutes defaults control box to standby mode

Programmable Digital Control


- Add-on option for Hover Lift bases : AC-CNTL-DIGI for \$261
- Save 4 different positions
- LCD display
- Set in centimeters or inches
- After 2 minutes defaults control box to standby mode

Locking Casters

The Hover Lift height adjustable bases are available with optional locking casters. Casters increase the overall table height by 2".

**External Safety Sensor**

An External Safety Sensor is able to detect even the smallest deformation. When a collision or restriction of movement is detected, the External Safety Sensor triggers the motors to move in the opposite direction to release the pinched obstacle. The External Safety Sensor can be added to the Hover Lift bases after installation. AC-DRBK-OMT for \$349.



All Hover electric height adjustable bases are equipped with Intelligent System Protection (ISP). ISP is used to protect base motors, control boxes and internal components from damage resulting from collision or restriction of movement. The ISP is not intended for protection of the end user, and is less sensitive than the External Safety Sensor.


Hover Reach Height Adjustable Bases




Features

Number of Legs	2 or 3
Height Range w/ Worksurface	22.75" - 49"
Number of Stages	3
Worksurface Lengths	42" - 72" (Up to 84" w/ ext. kit)
Worksurface Depths	24", 30" & 36"
Lifting Capacity	220 lbs (includes worksurface)
Adjustment Speed	1.4"/second
Cord Length	72" long
Finishes	Silver
Frame	Adjustable
Column Shape	Rectangle
Safety	Anti-Collision Built-in

Foot Length



50" Maximum Height



Quick Install Legs

- Ships in 1 box
- No tools required for assembly.



Programmable Digital Control



- Save 3 different positions
- LCD display
- Set in centimeters or inches
- Power standby mode
- Standard with Hover Reach


Hover Boost Height Adjustable Bases



Features


Number of Legs	2
Height Range w/ Worksurface	27.75" - 47.4"
Number of Stages	2
Worksurface Lengths	42" - 72" (Up to 84" w/ ext. kit)
Worksurface Depths	24", 30" & 36"
Lifting Capacity	200 lbs (includes worksurface)
Adjustment Speed	1.42"/second
Cord Length	72" long
Finishes	Black, White, Silver
Frame	Adjustable
Column Shape	Rectangle
Safety	Anti-Collision Built-in

Foot Length



45" Maximum Height

27-5/8" Minimum Height
25-3/16" Minimum
Clearance
(with levelers fully
recessed)



Quick Install Legs

- Ships in 1 box
- No tools required for assembly.



Programmable Digital Control



- Save 3 different positions
- LCD display
- Set in centimeters or inches
- Power standby mode
- Standard with Hover Boost

The Ascend height adjustable casegoods partially conceal the height adjustable mechanism supporting the quiet and easy transition to standing enabling the healthful rotation of working postures. Using height adjustability enables the user to adjust the worksurface height to the working posture that fits best. Multiple styles are available with Ascend. Private offices can be configured in a variety of ways to meet many functional and aesthetic requirements.

base shroud



Base shrouds create a new aesthetic, while still coordinating with other DeskMakers collections.

inline desk shell



Inline desk shell coordinates with the Convergence styling.

breakfront desk shell



Breakfront desk shell coordinates with the SPX styling.


breakfront desk shell



Adding a worksurface with reveal on the breakfront desk shell coordinates with the Milano styling.

configurations


Multiple configurations can be created using base shrouds, storage in combination with components from Convergence, SPX, Milano, Synapse and Teamworx collections.




desk




peninsula



return



bridge



credenza


Worksurfaces

finishes

- 1-1/8" thick thermally fused laminate (TFL) with multiple edge options
- 1-1/8" thick high pressure laminate (HPL) with multiple edge options
- 1" thick HPL with exposed plywood core
- 1-1/8" thick HPL with MDF core and PVC knife edge


grain direction

desk and credenza tops




all size tops

return and bridge tops



24" to 60" tops




tops over 60"

user edges both with and without solid wood edges

Wood edges will increase the overall width and length of the worksurface.



Shading indicates user edges.



corner detail


A visible frame will be visible on the surface of the table top when solid wood edges are specified. Color will be matched to table top finish, however slight differences in shade and grain may be evident.

Solid wood edges are not available in white, black or solid grey.

grommet locations


grommet locations

Three grommet locations are available on Ascend worksurfaces. Grommets are placed 8" on center from the edge opposite the user edge. "AX" is centered on the length of the worksurface. "AL" and "AR" (middle left and middle right) are inset 8" from either side. This placement is appropriate for 2 1/2" round, or 2 1/4" x 3 3/4" rectangular pass-through grommets. For other electrical options please contact the design and quoting department.




cable spine wire manager

The cable spine wire manager is 50 inches long, with removable links. Includes a desk mount bracket and metal base plate that can be detached for maximum flexibility. Available in black, white and silver. Links are 1-1/4" by 2-1/2".




base shrouds

A shroud is an aesthetic cover which conceals the major portion of the leg and the T-foot to provide a sophisticated aesthetic alternative to the standard exposed metal base set. All components are specified separately. Base shrouds are available in both standard and premium TFL with 2mm PVC edgebanding.



dimensions


Shrouds are available in 3 depths, 25", 30" and 36". The 30" and 36" are used for desk applications and the 25" for return, bridge or credenza applications.



base shrouds

minimum and maximum desk heights

Shrouds are 22-9/16" high. This allows the height adjustable bases to fully lower to their shortest height, which is necessary to reset the base. Leveler adds an additional 1/2" height.




overhang

In the installed position the minimum overhang of the worksurface when using the Hover Boost or Reach Base is 2", a larger overhang is possible. The base shroud and combination pedestal can be inset under the worksurface more, but all modesty panels are sized assuming this positioning. For desks 78" or larger an extension kit should be used to achieve the minimum overhang shown below.




shroud configurations


Base shrouds can be flush with the worksurface or recessed. The flush configuration consists of equal depth worksurface and base shroud. The recessed configuration consists of a 36" deep worksurface with a 32" deep shroud.



With the recessed configuration, the height adjustable base and base shroud are not centered on the table top.




grain direction




combination pedestal


The combination pedestal conceals a major portion of the height adjustable column and the entire T-foot. It also provides the standard size box/file storage within a single unit. Available in three depths, 25", 30" and 36" to correspond with the base shroud sizes.



Combination pedestal can be specified for both right and left hand sides, together or in combination with a base shroud.




dimensions




pedestal orientation



Combination pedestal recessed under the worksurface.




Combination pedestal outset under the worksurface. This configuration uses the same size modesty panels as a configuration with two base shrouds.





Combination pedestal outset under the worksurface, with over sized worksurface with 16" maximum overhang (Hover Lift Base only).

grain direction




peninsula cabinets


Peninsula cabinets provide a clean aesthetic with an efficient footprint. The open storage cabinets provide easy access to items under the desk.



Front view of cabinet.




Open back is standard.




Optional removable panel conceals height adjustable base if unit is not placed against a wall.

dimensions


Open storage cabinet is available in two widths, 30" and 36", and two depths, 19" and 25". The usable space on the 19" deep cabinet is 8-3/4" and on the 25" deep cabinet is 14-3/4".



19" Deep Cabinet




25" Deep Cabinet



Front Elevation

open storage & box/lateral credenza cabinet


The credenza cabinet provides box/lateral file low storage on one side and open storage to house the height adjustable leg on the other side. The leg cutout is always centered on the open storage side of the credenza. Handedness is determined by which leg of the base is located inside the cabinet.



Right model shown.




Open back is standard.




Optional removable panel conceals height adjustable base if unit is not placed against a wall.

dimensions

Credenza cabinet is available in two widths, 62" and 72", and two depths, 19" and 25".



62" Wide Cabinet - Front Elevation




72" Wide Cabinet - Front Elevation


peninsula cabinets

wall clearance

If open storage cabinet or credenza cabinet are to be placed against a wall, the cabinet should be placed to extend past the worksurface by a minimum of 1" to avoid pinch points.



grain direction



stationary returns, bridges and credenzas


stationary returns and bridges

Ascend returns and bridges have an additional 6" panel support to allow it to be placed adjacent to the height adjustable desk. Available in two depths, 19" and 24".




stationary credenzas

Any standard credenza from Convergence, Milano and SPX can be used with Ascend products. Available in two depths, 19" and 24".




pinch points

If height adjustable base shrouds are to be placed against a wall the worksurface needs to be a minimum of 1" away from the wall to avoid pinch points. Any stationary furniture placed adjacent to the height adjustable desk should also be placed a minimum of 1" away.




height adjustable returns, bridges and credenzas

Height adjustable returns, bridges and credenzas are intended for use against a wall and are only available with a 24" deep worksurface. Base shroud is 25" deep to allow for a 1" pinch point clearance. Storage units adjacent to the base shrouds can be specified as both low storage (shorter than 23") or can be full height (29" or higher).




Shown with Low Storage



Shown with Full Height Storage

pinch points


If height adjustable base shrouds are to be placed adjacent to any full height storage units, a minimum of 1" clearance needs to be maintained on the sides to prevent pinch points.





storage units

Ascend storage units are 25" deep to align with the 25" deep base shrouds. Available in low height box/lateral file (22-9/16" high) or full height lateral/lateral file (29" high). Storage units are available in two widths, 32" and 36".

box/lateral file





lateral/lateral file





box/file pedestals

Ascend box/file pedestals are available in two widths, 12" and 15-5/8", and two depths, 17-3/4" and 21-3/4".

box/file




skinny box/file




modesty panel options


two base shrouds




No Modesty




12" High Hanging Modesty




Full Height Hanging Modesty




Full Height Modesty



Full Height Modesty with
Hanging Modesty Behind




Full Height Modesty with
Hanging Modesty in Front




Full Height Front-Mounted
Modesty


one base shroud & one combination pedestal




No Modesty




12" Hanging Modesty




Full Height Hanging Modesty



Full Height Modesty




Full Height Modesty with
Hanging Modesty Behind




Full Height Modesty with
Hanging Modesty in Front

modesty panel options


two combination pedestals




No Modesty




12" High Hanging Modesty




Full Height Hanging Modesty



Full Height Modesty




Full Height Modesty with
Hanging Modesty Behind




Full Height Modesty with
Hanging Modesty in Front


one base shroud & peninsula cabinet



No Modesty



12" High Hanging Modesty




Full Height Hanging Modesty


Please note that the peninsula cabinets cannot be paired with a fixed modesty.

full height hanging modesty heights

Two stage and three stage bases have different measurements when they are fully lowered to their shortest height. Our "full height" hanging modesty panels are designed to not collide with the floor when used with any bases listed in this catalog, but please be aware the appearance of the desk may vary slightly if multiple base styles are used on the same project.



Hover Lift/ Hover Boost
Two Stage



Hover Reach
Three Stage

modesty panel options

modesty panel placement


hanging modesty panel length

All hanging modesty panels must be undersized in length by a minimum of 1" to avoid pinch points.




hanging modesty panel and fixed modesty panel placement

Hanging modesty panels should be inset 1-1/2" from the guest edge of the worksurface. This allows for grommet clearance. Any fixed modesty panel should be placed a minimum of 1" away from hanging modesty panels.




grain direction**hanging modesty panels**


12" High Hanging Modesty Panel




Full Height Hanging Modesty Panels

**fixed modesty panels**

Full Height Fixed Modesty Panels



Full Height, Full Length Fixed Modesty Panel




desk shells

Ascend Desk Shells achieve the look of casegoods furniture by simply surrounding the height adjustable base. They may be appropriate for a wider range of bases than shroud and modesty combinations as the leg placement is unrestricted. Desk Shells are the recommended solution when using 3-legged height adjustable bases. Due to the height of the Desk Shell, most bases will need to be pulled out of the shell to be reset.


inline desk shell

The Ascend Inline Desk Shell is stylistically similar to the Convergence casegoods series.




hanging modesty panel options for desk shells

There are multiple hanging modesty options specifically sized to be paired with desk shells. A modesty panel mounted in front of the desk shell may need to be removed if the height adjustable base needs to be reset as this will require pulling the base outside of the shell to lower it completely in most cases.




breakfront desk shell

The Ascend Breakfront Desk Shell is stylistically similar to the SPX casegoods series, or the Milano Series when paired with a top that has a reveal.




return shells







A Return Shell is available to connect to either style of Ascend Desk Shell to completely enclose a 3-legged base.



rectangular worksurface

TFL and HPL










			TFL		HPL		
			1-1/8" Thick Standard TFL	1-1/8" Thick Premium TFL	1-1/8" Thick Standard HPL	1-1/8" Thick MDF Core	1" Thick Plywood Core
			 2mm PVC	 2mm PVC	 2mm PVC	 2mm PVC Knife	 Exposed Plywood
Model Number	Depth	Length	T1-A1	T2-A1	H1-A1	H1-K1	H1-P1
24" Deep							
HV-WS01-2448-??-??	24	48	\$382	\$420	\$644	\$749	\$1,171
HV-WS01-2454-??-??	24	54	\$383	\$422	\$647	\$754	\$1,184
HV-WS01-2460-??-??	24	60	\$386	\$425	\$650	\$762	\$1,198
HV-WS01-2466-??-??	24	66	\$389	\$428	\$653	\$768	\$1,211
HV-WS01-2472-??-??	24	72	\$392	\$431	\$655	\$773	\$1,224
HV-WS01-2478-??-??	24	78	\$481	\$529	\$828	\$972	\$1,542
HV-WS01-2484-??-??	24	84	\$484	\$532	\$831	\$977	\$1,556
30" Deep							
HV-WS01-3048-??-??	30	48	\$517	\$569	\$903	\$1,042	\$1,642
HV-WS01-3054-??-??	30	54	\$520	\$572	\$904	\$1,049	\$1,656
HV-WS01-3060-??-??	30	60	\$521	\$574	\$907	\$1,055	\$1,669
HV-WS01-3066-??-??	30	66	\$523	\$575	\$910	\$1,061	\$1,682
HV-WS01-3072-??-??	30	72	\$526	\$578	\$913	\$1,067	\$1,695
HV-WS01-3078-??-??	30	78	\$662	\$729	\$1,171	\$1,361	\$2,165
HV-WS01-3084-??-??	30	84	\$664	\$730	\$1,174	\$1,368	\$2,178
36" Deep							
HV-WS01-3648-??-??	36	48	\$520	\$572	\$904	\$1,049	\$1,656
HV-WS01-3654-??-??	36	54	\$521	\$574	\$907	\$1,055	\$1,669
HV-WS01-3660-??-??	36	60	\$523	\$575	\$910	\$1,061	\$1,682
HV-WS01-3666-??-??	36	66	\$526	\$578	\$913	\$1,067	\$1,695
HV-WS01-3672-??-??	36	72	\$528	\$581	\$916	\$1,073	\$1,708
HV-WS01-3678-??-??	36	78	\$664	\$730	\$1,174	\$1,368	\$2,178
HV-WS01-3684-??-??	36	84	\$666	\$733	\$1,177	\$1,374	\$2,191

- TFL worksurfaces are only available with DeskMakers standard 2MM PVC edgebanding.
- HPL worksurfaces with 2mm PVC edges are only available with DeskMakers standard 2MM PVC edgebanding.
- Grain runs the length on all worksurfaces.
- Please see Cleaning and Care Guide for maintenance information.

rectangular worksurface

Wood edge options




Model Number	Depth	Length	TFL				HPL	
			1-1/8" Thick Standard TFL  3/8" Wood	1-1/8" Thick Standard TFL  1-1/8" Wood	1-1/8" Thick Standard TFL  3/8" Wood	1-1/8" Thick Standard TFL  1-1/8" Wood	1-1/8" Thick Standard TFL  3/8" Wood	1-1/8" Thick Standard TFL  1-1/8" Wood
			T1-B1	T1-C?	T2-B1	T2-C?	H1-B1	H1-C?
24" deep								
TP-RECT-2448-??-??	24	48	\$722	\$845	\$834	\$976	\$1,142	\$1,334
TP-RECT-2454-??-??	24	54	\$752	\$870	\$868	\$1,005	\$1,187	\$1,374
TP-RECT-2460-??-??	24	60	\$779	\$901	\$900	\$1,040	\$1,231	\$1,422
TP-RECT-2466-??-??	24	66	\$809	\$929	\$934	\$1,073	\$1,277	\$1,468
TP-RECT-2472-??-??	24	72	\$839	\$955	\$969	\$1,103	\$1,325	\$1,507
TP-RECT-2478-??-??	24	78	\$866	\$986	\$1,000	\$1,139	\$1,368	\$1,559
TP-RECT-2484-??-??	24	84	\$895	\$1,015	\$1,034	\$1,172	\$1,412	\$1,603
30" deep								
TP-RECT-3048-??-??	30	48	\$779	\$901	\$900	\$1,040	\$1,231	\$1,422
TP-RECT-3054-??-??	30	54	\$816	\$938	\$942	\$1,084	\$1,289	\$1,482
TP-RECT-3060-??-??	30	60	\$831	\$949	\$960	\$1,097	\$1,312	\$1,501
TP-RECT-3066-??-??	30	66	\$888	\$1,011	\$1,026	\$1,168	\$1,403	\$1,597
TP-RECT-3072-??-??	30	72	\$924	\$1,046	\$1,068	\$1,208	\$1,460	\$1,650
TP-RECT-3078-??-??	30	78	\$1,047	\$1,166	\$1,209	\$1,346	\$1,653	\$1,840
TP-RECT-3084-??-??	30	84	\$1,081	\$1,200	\$1,248	\$1,387	\$1,707	\$1,896
36" deep								
TP-RECT-3660-??-??	36	60	\$1,011	\$1,129	\$1,168	\$1,304	\$1,597	\$1,783
TP-RECT-3672-??-??	36	72	\$1,135	\$1,304	\$1,311	\$1,506	\$1,792	\$2,059
TP-RECT-3678-??-??	36	78	\$1,175	\$1,358	\$1,358	\$1,569	\$1,858	\$2,144
TP-RECT-3684-??-??	36	84	\$1,241	\$1,419	\$1,433	\$1,639	\$1,959	\$2,243

- Grain runs the length on all worksurfaces.
- Wood on all four edges for Group B and C edge details.
- Wood edges increase the overall depth and length of worksurface.
- Please see Cleaning and Care Guide for maintenance information.

Hover Lift height adjustable bases

Electric - 2 Leg - 2 Stage



Model Number	T-Foot Length	Worksurface Depth	Worksurface Length	Price
For 24" and 30" deep worksurfaces				
HV-AE23-2448-??	23	24/30	48	\$2,787
HV-AE23-2454-??	23	24/30	54	\$2,803
HV-AE23-2460-??	23	24/30	60	\$2,808
HV-AE23-2466-??	23	24/30	66	\$2,826
HV-AE23-2472-??	23	24/30	72	\$2,838
HV-AE23-2478-??	23	24/30	78	\$2,853
HV-AE23-2484-??	23	24/30	84	\$2,947
For 30" and 36" deep worksurfaces				
HV-AE29-3648-??	29	30/36	48	\$2,829
HV-AE29-3654-??	29	30/36	54	\$2,846
HV-AE29-3660-??	29	30/36	60	\$2,850
HV-AE29-3666-??	29	30/36	66	\$2,869
HV-AE29-3672-??	29	30/36	72	\$2,881
HV-AE29-3678-??	29	30/36	78	\$2,896
HV-AE29-3684-??	29	30/36	84	\$2,990

- Please specify base finish when ordering. Premium colors available with 10% increase, OP-COLOR. See page 9 for finish options.
- Tops specified separately.
- Bases ship unassembled.
- Includes adjustable glides. 2" high Casters available, add OP-CAST-OMT-A for \$141 (set of 4).
- Programmable digital control available, add AC-CNTL-DIGI for \$261.
- External safety sensor available, add AC-DRBK-OMT for \$349.

Hover Reach Height Adjustable Bases - 2 Leg for Rectangular Worksurfaces

Electric - 3 Stage



Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
For 24" and 30" Deep Worksurfaces				
ML-3STG-2472-SV	23	24/30	48/72	\$1,162
For 30" and 36" Deep Worksurfaces				
ML-3STG-3072-SV	29	30/36	48/72	\$1,197

- Silver finish standard.
- Tops specified separately. Bases ship unassembled with tool-free quick-install components.
- Includes adjustable steel frame, adjustable glides and programmable digital control.
- Base can accommodate tops up to 84" with the addition of ML-2LEG-EXKT for \$362

Hover Boost Height Adjustable Bases - 2 Leg for Rectangular Worksurfaces

Electric - 2 Stage



Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
For 24" and 30" Deep Worksurfaces				
ML-2STG-2472-??	23	24/30	42/72	\$998
For 30" and 36" Deep Worksurfaces				
ML-2STG-3072-??	29	30/36	42/72	\$1,029

- Silver finish standard. Black and White may require additional lead time.
- Tops specified separately. Bases ship unassembled with tool-free quick-install components.
- Includes adjustable steel frame, adjustable glides and programmable digital control.
- Base can accommodate tops up to 84" with the addition of ML-2LEG-EXKT for \$362


base shroud



Model Number	Depth	Width	Height	T1	T2
AS-SHRD-0725-??	7	25	22-9/16	\$464	\$511
AS-SHRD-0730-??	7	30	22-9/16	\$569	\$626
AS-SHRD-0732-??	7	32	22-9/16	\$616	\$677
AS-SHRD-0736-??	7	36	22-9/16	\$707	\$777

- Height adjustable base and worksurface specified separately.
- Edges are only available with DeskMakers standard 2MM PVC edgebanding.
- Includes levelers and a hinged door.
- Because shroud support foot of height adjustable base, a shroud must be used on both legs of desk. Not for use with 3-legged bases.


inline desk shell



Model Number	Depth	Width	Height	T1	T2
30" deep					
AS-SHL1-3060-??	30	60	28	\$856	\$942
AS-SHL1-3066-??	30	66	28	\$862	\$948
AS-SHL1-3072-??	30	72	28	\$871	\$959
AS-SHL1-3078-??	30	78	28	\$878	\$966
AS-SHL1-3084-??	30	84	28	\$885	\$974
36" deep					
AS-SHL1-3660-??	36	60	28	\$898	\$988
AS-SHL1-3666-??	36	66	28	\$905	\$995
AS-SHL1-3672-??	36	72	28	\$915	\$1,006
AS-SHL1-3678-??	36	78	28	\$922	\$1,014
AS-SHL1-3684-??	36	84	28	\$929	\$1,021

- Height adjustable base and worksurface specified separately.
- Edges are only available with DeskMakers standard 2MM PVC edgebanding.
- Includes levelers.
- Modesty inset 4" from front of desk.


breakfront desk shell



Model Number	Depth	Width	Height	T1	T2
30" deep					
AS-SHL2-3060-??	30	60	28	\$874	\$962
AS-SHL2-3066-??	30	66	28	\$881	\$969
AS-SHL2-3072-??	30	72	28	\$968	\$1,064
AS-SHL2-3078-??	30	78	28	\$975	\$1,072
AS-SHL2-3084-??	30	84	28	\$1,058	\$1,164
36" deep					
AS-SHL2-3660-??	36	60	28	\$917	\$1,009
AS-SHL2-3666-??	36	66	28	\$924	\$1,017
AS-SHL2-3672-??	36	72	28	\$1,011	\$1,112
AS-SHL2-3678-??	36	78	28	\$1,060	\$1,166
AS-SHL2-3684-??	36	84	28	\$1,101	\$1,212

- Height adjustable base and worksurface specified separately.
- Edges are only available with DeskMakers standard 2MM PVC edgebanding.
- Includes levelers.
- Modesty is inset 4" from front of desk. To upgrade inset modesty panel to metallic silver, add OP-FMOD-SLV for \$1061.

return shell




Model Number	Depth	Width	Height	Top Size (specified separately)	T1	T2
AS-RSHL-2418-L-?? AS-RSHL-2418-R-??	24	19	28	24x18*	\$538	\$592
AS-RSHL-2424-L-?? AS-RSHL-2424-R-??	24	25	28	24x24*	\$544	\$598
AS-RSHL-2430-L-?? AS-RSHL-2430-R-??	24	31	28	24x30*	\$696	\$765
AS-RSHL-2436-L-?? AS-RSHL-2436-R-??	24	35	28	24x36	\$848	\$933
AS-RSHL-2442-L-?? AS-RSHL-2442-R-??	24	43	28	24x42	\$855	\$941
AS-RSHL-2448-L-?? AS-RSHL-2448-R-??	24	49	28	24x48	\$862	\$948
AS-RSHL-2454-L-?? AS-RSHL-2454-R-??	24	55	28	24x54	\$867	\$954
AS-RSHL-2460-L-?? AS-RSHL-2460-R-??	24	61	28	24x60	\$873	\$960

- Return shell only available in 24" depth. Can be paired with either style of desk shell. Cannot stand separately.
- Height adjustable base and worksurface specified separately. Smallest sizes * may be used with L-shaped tops and bases. See Hover Pricebook for options.
- Edges are only available with DeskMakers standard 2MM PVC edgebanding.
- Includes levelers.

return shell

3/4 height modesty



Right Model Shown

Model Number		Depth	Width	Height	T1	T2
19" deep						
Left Model	Right Model					
AS-RTSH-1930-L-T?-A1	AS-RTSH-1930-R-T?-A1	19	30	29	\$785	\$863
AS-RTSH-1936-L-T?-A1	AS-RTSH-1936-R-T?-A1	19	36	29	\$795	\$875
AS-RTSH-1942-L-T?-A1	AS-RTSH-1942-R-T?-A1	19	42	29	\$803	\$883
AS-RTSH-1948-L-T?-A1	AS-RTSH-1948-R-T?-A1	19	48	29	\$856	\$941
AS-RTSH-1954-L-T?-A1	AS-RTSH-1954-R-T?-A1	19	54	29	\$928	\$1,021
AS-RTSH-1960-L-T?-A1	AS-RTSH-1960-R-T?-A1	19	60	29	\$992	\$1,091
AS-RTSH-1966-L-T?-A1	AS-RTSH-1966-R-T?-A1	19	66	29	\$1,046	\$1,151
AS-RTSH-1972-L-T?-A1	AS-RTSH-1972-R-T?-A1	19	72	29	\$1,069	\$1,175
24" deep						
Left Model	Right Model					
AS-RTSH-2430-L-T?-A1	AS-RTSH-2430-R-T?-A1	24	30	29	\$921	\$1,013
AS-RTSH-2436-L-T?-A1	AS-RTSH-2436-R-T?-A1	24	36	29	\$930	\$1,023
AS-RTSH-2442-L-T?-A1	AS-RTSH-2442-R-T?-A1	24	42	29	\$950	\$1,045
AS-RTSH-2448-L-T?-A1	AS-RTSH-2448-R-T?-A1	24	48	29	\$970	\$1,066
AS-RTSH-2454-L-T?-A1	AS-RTSH-2454-R-T?-A1	24	54	29	\$1,035	\$1,138
AS-RTSH-2460-L-T?-A1	AS-RTSH-2460-R-T?-A1	24	60	29	\$1,094	\$1,203
AS-RTSH-2466-L-T?-A1	AS-RTSH-2466-R-T?-A1	24	66	29	\$1,151	\$1,266
AS-RTSH-2472-L-T?-A1	AS-RTSH-2472-R-T?-A1	24	72	29	\$1,169	\$1,286


- Standard with 3/4 height modesty panel and one partial depth (6") support panel.

- For full modesty panel, add OP-LMDP-FULL for \$172.

- Grommet standard in position 2 of top and modesty panel.

return with box/box/file

full height modesty




Right Model Shown

Model Number		Depth	Width	Height	T1	T2
19" deep						
Left Model	Right Model					
AS-RBBF-1930-L-T?-A1	AS-RBBF-1930-R-T?-A1	19	30	29	\$1,555	\$1,710
AS-RBBF-1936-L-T?-A1	AS-RBBF-1936-R-T?-A1	19	36	29	\$1,564	\$1,720
AS-RBBF-1942-L-T?-A1	AS-RBBF-1942-R-T?-A1	19	42	29	\$1,573	\$1,730
AS-RBBF-1948-L-T?-A1	AS-RBBF-1948-R-T?-A1	19	48	29	\$1,626	\$1,788
AS-RBBF-1954-L-T?-A1	AS-RBBF-1954-R-T?-A1	19	54	29	\$1,700	\$1,870
AS-RBBF-1960-L-T?-A1	AS-RBBF-1960-R-T?-A1	19	60	29	\$1,760	\$1,936
24" deep						
Left Model	Right Model					
AS-RBBF-2430-L-T?-A1	AS-RBBF-2430-R-T?-A1	24	30	29	\$1,689	\$1,858
AS-RBBF-2436-L-T?-A1	AS-RBBF-2436-R-T?-A1	24	36	29	\$1,700	\$1,870
AS-RBBF-2442-L-T?-A1	AS-RBBF-2442-R-T?-A1	24	42	29	\$1,720	\$1,892
AS-RBBF-2448-L-T?-A1	AS-RBBF-2448-R-T?-A1	24	48	29	\$1,740	\$1,913
AS-RBBF-2454-L-T?-A1	AS-RBBF-2454-R-T?-A1	24	54	29	\$1,806	\$1,987
AS-RBBF-2460-L-T?-A1	AS-RBBF-2460-R-T?-A1	24	60	29	\$1,862	\$2,048

- Standard with full modesty panel and one partial depth (6") support panel.
- For 10" modesty panel with finished pedestal back, add OP-LMDP-10 for \$147.
- Grommet standard in position 2 of top and modesty panel.
- To switch from a Box/Box/File pedestal to a File/File pedestal, add OP-PEDL-09 for no additional charge.

return with 32" wide lateral file

full height modesty




Model Number		Depth	Width	Height	T1	T2
19" deep						
Left Model	Right Model					
AS-RTLF-1948-L-T?-A1	AS-RTLF-1948-R-T?-A1	19	48	29	\$2,010	\$2,211
AS-RTLF-1954-L-T?-A1	AS-RTLF-1954-R-T?-A1	19	54	29	\$2,082	\$2,291
AS-RTLF-1960-L-T?-A1	AS-RTLF-1960-R-T?-A1	19	60	29	\$2,144	\$2,359
AS-RTLF-1966-L-T?-A1	AS-RTLF-1966-R-T?-A1	19	66	29	\$2,223	\$2,445
AS-RTLF-1972-L-T?-A1	AS-RTLF-1972-R-T?-A1	19	72	29	\$2,263	\$2,489
24" deep						
Left Model	Right Model					
AS-RTLF-2448-L-T?-A1	AS-RTLF-2448-R-T?-A1	24	48	29	\$2,125	\$2,338
AS-RTLF-2454-L-T?-A1	AS-RTLF-2454-R-T?-A1	24	54	29	\$2,190	\$2,409
AS-RTLF-2460-L-T?-A1	AS-RTLF-2460-R-T?-A1	24	60	29	\$2,249	\$2,474
AS-RTLF-2466-L-T?-A1	AS-RTLF-2466-R-T?-A1	24	66	29	\$2,354	\$2,590
AS-RTLF-2472-L-T?-A1	AS-RTLF-2472-R-T?-A1	24	72	29	\$2,393	\$2,632

- Standard with full modesty panel and one partial depth (6") support panel.
- Grommet standard in position 2 of top and modesty panel.
- Letter filing is two rows front to back; legal filing is side to side.
- For 10" modesty panel with finished pedestal back, add OP-LMDP-10 for \$147.

bridge

full height modesty



Left Model Shown

Model Number		Depth	Width	Height	T1	T2
19" deep						
Left Model	Right Model					
AS-BRDG-1924-L-T?-A1	AS-BRDG-1924-R-T?-A1	19	24	29	\$709	\$780
AS-BRDG-1930-L-T?-A1	AS-BRDG-1930-R-T?-A1	19	30	29	\$718	\$790
AS-BRDG-1936-L-T?-A1	AS-BRDG-1936-R-T?-A1	19	36	29	\$724	\$797
AS-BRDG-1942-L-T?-A1	AS-BRDG-1942-R-T?-A1	19	42	29	\$758	\$834
AS-BRDG-1948-L-T?-A1	AS-BRDG-1948-R-T?-A1	19	48	29	\$783	\$862
AS-BRDG-1954-L-T?-A1	AS-BRDG-1954-R-T?-A1	19	54	29	\$873	\$961
AS-BRDG-1960-L-T?-A1	AS-BRDG-1960-R-T?-A1	19	60	29	\$946	\$1,040
24" deep						
Left Model	Right Model					
AS-BRDG-2424-L-T?-A1	AS-BRDG-2424-R-T?-A1	24	24	29	\$742	\$816
AS-BRDG-2430-L-T?-A1	AS-BRDG-2430-R-T?-A1	24	30	29	\$752	\$827
AS-BRDG-2436-L-T?-A1	AS-BRDG-2436-R-T?-A1	24	36	29	\$766	\$842
AS-BRDG-2442-L-T?-A1	AS-BRDG-2442-R-T?-A1	24	42	29	\$800	\$880
AS-BRDG-2448-L-T?-A1	AS-BRDG-2448-R-T?-A1	24	48	29	\$823	\$906
AS-BRDG-2454-L-T?-A1	AS-BRDG-2454-R-T?-A1	24	54	29	\$925	\$1,018
AS-BRDG-2460-L-T?-A1	AS-BRDG-2460-R-T?-A1	24	60	29	\$1,008	\$1,109

- Standard with full modesty panel and one partial depth (6") support panel.
- Bridges ship unassembled to save space.
- Grommet standard in position 2 of top and modesty panel.
- For 10" modesty panel with finished pedestal back, add OP-LMDP-10 for \$147.
- Must be attached to stationary credenza or desk - cannot support itself.

combination pedestal

base shroud with box/file



Right Model Shown

Model Number		Depth	Width	Height	T1	T2
Left Model	Right Model					
AS-SBF2-2522-L-??	AS-SBF2-2522-R-??	25	21-5/8	22-9/16	\$1,630	\$1,793
AS-SBF2-3022-L-??	AS-SBF2-3022-R-??	30	21-5/8	22-9/16	\$1,760	\$1,936
AS-SBF2-3622-L-??	AS-SBF2-3622-R-??	36	21-5/8	22-9/16	\$1,969	\$2,165

- Height adjustable base and worksurface specified separately.
- Pedestal is finished on all sides.
- Includes levelers and a hinged door.
- Lock standard on Box/File.

box/file pedestal



Model Number	Depth	Width	Height	T1	T2
SS-SBFL-1816-??	17-3/4	15-3/4	22-9/16	\$1,105	\$1,215
SS-SBFL-2216-??	21-3/4	15-3/4	22-9/16	\$1,181	\$1,299

- Pedestal is finished on all sides.
- Includes levelers.
- Lock standard.

skinny box/file pedestal



Model Number	Depth	Width	Height	T1	T2
SS-SBFL-1812-??	17-3/4	12	22-9/16	\$1,067	\$1,173
SS-SBFL-2212-??	21-3/4	12	22-9/16	\$1,143	\$1,258

- Pedestal is finished on all sides.
- Includes levelers.
- Lock standard.

skinny box/box/file pedestal



Model Number	Depth	Width	Height	T1	T2
SS-SBBF-1812-??	17-3/4	12	28	\$1,168	\$1,284
SS-SBBF-2212-??	21-3/4	12	28	\$1,252	\$1,377

- Pedestal is finished on all sides. Top of pedestal is inset.
- Includes levelers.
- Lock standard.

box/lateral pedestal



Model Number	Depth	Width	Height	T1	T2
19" deep					
AS-BLFL-1932-??	19	32	22-9/16	\$1,485	\$1,634
AS-BLFL-1936-??	19	36	22-9/16	\$1,660	\$1,826
24" deep					
AS-BLFL-2532-??	25	32	22-9/16	\$1,604	\$1,764
AS-BLFL-2536-??	25	36	22-9/16	\$1,796	\$1,975

- Pedestal is finished on all sides.
- Includes levelers.
- Lock standard.
- Lateral file drawer allows for two rows front to back legal or letter filing or one row of side to side legal filing.

lateral/lateral cabinet



Model Number	Depth	Width	Height	T1	T2
19" deep					
SS-LF2D-1932-??	19	32	29	\$1,434	\$1,578
SS-LF2D-1929-??	19	36	29	\$1,521	\$1,674
24" deep					
SS-LF2D-2432-??	24	32	29	\$1,537	\$1,691
SS-LF2D-2429-??	24	36	29	\$1,602	\$1,763

- Adjustable internal bars allow for two rows front-to-back, letter or legal size hanging files.
- Units have anti-tip safety mechanism.
- Pedestal is finished on all sides.
- Includes levelers.
- Lock standard.


open storage cabinet



Model Number	Depth	Width	Height	T1	T2
19" deep					
AS-BKC2-1930-??	19	30	22-9/16	\$1,465	\$1,612
AS-BKC2-1936-??	19	36	22-9/16	\$1,635	\$1,799
24" deep					
AS-BKC2-2530-??	25	30	22-9/16	\$1,570	\$1,727
AS-BKC2-2536-??	25	36	22-9/16	\$1,752	\$1,928

- Includes adjustable glides.

open storage & box/lateral credenza cabinet



Right Model Shown


Model Number		Depth	Width	Height	T1	T2
19" deep						
Left Model	Right Model					
AS-BLB2-1962-L-??	AS-BLB2-1962-R-??	19	62	22-9/16	\$2,475	\$2,722
AS-BLB2-1972-L-??	AS-BLB2-1972-R-??	19	72	22-9/16	\$2,779	\$3,057
24" deep						
Left Model	Right Model					
AS-BLB2-2562-L-??	AS-BLB2-2562-R-??	25	62	22-9/16	\$2,648	\$2,913
AS-BLB2-2572-L-??	AS-BLB2-2572-R-??	25	72	22-9/16	\$2,976	\$3,274

- Includes levelers.

- Lock standard on box lateral cabinet.

- Lateral file drawer allows for two rows front to back legal or letter filing, or one row of side to side legal filing.

removable back panel



Model Number	Width	Height	T1	T2
AS-BCK2-2230-??	30	22	\$266	\$293
AS-BCK2-2236-??	36	22	\$284	\$312

- Ships unattached. Includes mounting hardware.

fixed modesty panel - for use with two base shrouds




Model Number	Worksurface Length	Width	Height	T1	T2	H1
22-9/16" high						
AS-FXMD-2330-??	48	30	21-3/4	\$293	\$322	\$492
AS-FXMD-2336-??	54	36	21-3/4	\$307	\$338	\$518
AS-FXMD-2342-??	60	42	21-3/4	\$324	\$356	\$546
AS-FXMD-2348-??	66	48	21-3/4	\$346	\$380	\$582
AS-FXMD-2354-??	72	54	21-3/4	\$369	\$406	\$622
AS-FXMD-2360-??	78	60	21-3/4	\$401	\$441	\$674
AS-FXMD-2366-??	84	66	21-3/4	\$430	\$473	\$725
22-9/16" high						
AS-FXM2-2344-??	48	44	22-9/16	\$324	\$356	\$546
AS-FXM2-2350-??	54	50	22-9/16	\$346	\$380	\$582
AS-FXM2-2356-??	60	56	22-9/16	\$369	\$406	\$622
AS-FXM2-2362-??	66	62	22-9/16	\$401	\$441	\$674
AS-FXM2-2368-??	72	68	22-9/16	\$430	\$473	\$725
AS-FXM2-2374-??	78	74	22-9/16	\$477	\$525	\$804
AS-FXM2-2380-??	84	80	22-9/16	\$529	\$582	\$891

- Grain runs horizontally on all modesty panels.
- Ships unattached. Includes mounting hardware.




hanging modesty panel - for use with two base shrouds



Model Number	Worksurface Length	Width	Height	T1	T2	H1
12" high						
AS-HGMD-1228-??	48	28	12	\$174	\$192	\$292
AS-HGMD-1234-??	54	34	12	\$183	\$202	\$306
AS-HGMD-1240-??	60	40	12	\$192	\$211	\$324
AS-HGMD-1246-??	66	46	12	\$200	\$219	\$336
AS-HGMD-1252-??	72	52	12	\$219	\$241	\$369
AS-HGMD-1258-??	78	58	12	\$236	\$260	\$398
AS-HGMD-1264-??	84	64	12	\$254	\$280	\$428

- Grain runs horizontally on all modesty panels.
 - Ships unattached. Includes mounting hardware.

hanging modesty panel - for use with two base shrouds



Model Number	Worksurface Length	Width	Height	T1	T2	H1
Inset Modesty						
AS-HGMD-2428-??	48	28	23-7/8	\$285	\$314	\$479
AS-HGMD-2434-??	54	34	23-7/8	\$301	\$332	\$507
AS-HGMD-2440-??	60	40	23-7/8	\$318	\$350	\$535
AS-HGMD-2446-??	66	46	23-7/8	\$340	\$374	\$573
AS-HGMD-2452-??	72	52	23-7/8	\$361	\$397	\$608
AS-HGMD-2458-??	78	58	23-7/8	\$393	\$432	\$661
AS-HGMD-2464-??	84	64	23-7/8	\$423	\$465	\$713

- Grain runs horizontally on all modesty panels.
 - Ships unattached. Includes mounting hardware.


fixed modesty panel - for use with one base shroud and combination pedestal



Model Number	Worksurface Length	Width	Height	T1	T2	H1
22-9/16" high						
AS-FXMD-2327-??	60	26 3/8	21-3/4	\$285	\$314	\$479
AS-FXMD-2333-??	66	32 3/8	21-3/4	\$301	\$332	\$507
AS-FXMD-2339-??	72	38 3/8	21-3/4	\$318	\$350	\$535
AS-FXMD-2345-??	78	44 3/8	21-3/4	\$340	\$374	\$573
AS-FXMD-2351-??	84	50 3/8	21-3/4	\$361	\$397	\$608

- Grain runs horizontally on all modesty panels.
 - Ships unattached. Includes mounting hardware.


hanging modesty panel - for use with one base shroud and combination pedestal



Model Number	Worksurface Length	Width	Height	T1	T2	H1
12" high						
AS-HGMD-1225-??	60	25	12	\$171	\$189	\$291
AS-HGMD-1231-??	66	31	12	\$179	\$197	\$300
AS-HGMD-1237-??	72	37	12	\$191	\$210	\$320
AS-HGMD-1243-??	78	43	12	\$198	\$218	\$333
AS-HGMD-1249-??	84	49	12	\$210	\$231	\$355

- Grain runs horizontally on all modesty panels.
 - Ships unattached. Includes mounting hardware.


hanging modesty panel - for use with one base shroud and combination pedestal



Model Number	Worksurface Length	Width	Height	T1	T2	H1
24" high						
AS-HGMD-2425-??	60	25	23-7/8	\$282	\$311	\$474
AS-HGMD-2431-??	66	31	23-7/8	\$299	\$328	\$502
AS-HGMD-2437-??	72	37	23-7/8	\$312	\$343	\$526
AS-HGMD-2443-??	78	43	23-7/8	\$327	\$359	\$551
AS-HGMD-2449-??	84	49	23-7/8	\$353	\$389	\$594

- Grain runs horizontally on all modesty panels.
 - Ships unattached. Includes mounting hardware.

fixed modesty panel - for use with two combination pedestals



Model Number	Worksurface Length	Width	Height	T1	T2	H1
AS-FXMD-2329-??	78	28 3/4	21-3/4	\$293	\$322	\$492
AS-FXMD-2335-??	84	34 3/4	21-3/4	\$307	\$338	\$518

- Grain runs horizontally on all modesty panels.
- Ships unattached. Includes mounting hardware.

hanging modesty panel - for use with two combination pedestals



Model Number	Worksurface Length	Width	Height	T1	T2	H1
12" high						
AS-HGMD-1227-??	78	27	12	\$174	\$192	\$292
AS-HGMD-1233-??	84	33	12	\$183	\$202	\$306




24" high						
AS-HGMD-2428-??	78	28	23-7/8	\$285	\$314	\$479
AS-HGMD-2434-??	84	34	23-7/8	\$301	\$332	\$507

- Grain runs horizontally on all modesty panels.
- Ships unattached. Includes mounting hardware.

hanging modesty panel - for base shroud and peninsula credenza


12" high



Model Number	Worksurface Length	Width	Height	T1	T2	H1
19" deep peninsula credenza						
AS-HGMD-1229-??	60	29	12	\$174	\$192	\$292
AS-HGMD-1235-??	66	35	12	\$183	\$202	\$306
AS-HGMD-1241-??	72	41	12	\$192	\$211	\$324
AS-HGMD-1247-??	78	47	12	\$200	\$219	\$336
AS-HGMD-1253-??	84	53	12	\$219	\$241	\$369
24" deep peninsula credenza						
AS-HGMD-1224-??	60	24	12	\$170	\$187	\$288
AS-HGMD-1230-??	66	30	12	\$174	\$192	\$292
AS-HGMD-1236-??	72	36	12	\$183	\$202	\$306
AS-HGMD-1242-??	78	42	12	\$192	\$211	\$324
AS-HGMD-1248-??	84	48	12	\$200	\$219	\$336

- Grain runs horizontally on all modesty panels.
- Ships unattached. Includes mounting hardware.

hanging modesty panel - for use with desk shells





Model Number	Worksurface Length	Width	Height	T1	T2	H1
28" high for use on inline desk shells						
AS-HGMD-2853-??	60	53	28	\$514	\$566	\$867
AS-HGMD-2859-??	66	59	28	\$539	\$593	\$909
AS-HGMD-2865-??	72	65	28	\$565	\$621	\$951
AS-HGMD-2871-??	78	71	28	\$600	\$660	\$1,011
AS-HGMD-2877-??	84	77	28	\$636	\$699	\$1,070
28" high for use on inline & breakfront desk shells						
AS-HGMD-2053-??	60	53	20	\$343	\$377	\$576
AS-HGMD-2059-??	66	59	20	\$368	\$405	\$619
AS-HGMD-2065-??	72	65	20	\$393	\$432	\$663
AS-HGMD-2071-??	78	71	20	\$429	\$471	\$722
AS-HGMD-2077-??	84	77	20	\$464	\$510	\$781
28" high for use on inline & breakfront desk shells						
AS-HGMD-2824-??	60	24	28	\$437	\$481	\$737
AS-HGMD-2830-??	66	30	28	\$448	\$493	\$755
AS-HGMD-2836-??	72	36	28	\$464	\$510	\$781
AS-HGMD-2842-??	78	42	28	\$480	\$528	\$809
AS-HGMD-2848-??	84	48	28	\$501	\$551	\$843

- Grain runs horizontally on all modesty panels.

- Ships unattached. Includes mounting hardware.

wall mounted floating shelf - 16" high



when using 2 or more shelves together, end cap SS-FLSH-END1 is recommended


Model Number	Depth	Width	Height	T1	T2
SS-FLSH-3016	12	30	16	\$728	\$801
SS-FLSH-3216	12	32	16	\$747	\$822
SS-FLSH-3616	12	36	16	\$779	\$857
SS-FLSH-4216	12	42	16	\$905	\$995
SS-FLSH-4816	12	48	16	\$952	\$1,048
SS-FLSH-5416	12	54	16	\$1,203	\$1,324
SS-FLSH-6016	12	60	16	\$1,455	\$1,600
SS-FLSH-6616	12	66	16	\$1,507	\$1,658
SS-FLSH-7216	12	72	16	\$1,559	\$1,715
SS-FLSH-7816	12	78	16	\$1,685	\$1,853
SS-FLSH-8416	12	84	16	\$1,811	\$1,992

- All 1-1/8" material. Weight capacity of 25 lbs. per piece.

- All units include hardware for mounting. Must be professionally installed. Multiple shelves should be connected using SS-FLSH-END1 for \$192 for additional stability. End cap will add 1 1/8" to length of run.

- When mounted adjacent to a wall mounted overhead cabinet, it is recommended to secure the 2 units together.

wall mounted floating shelf - 28"



when using 2 or more shelves together, end cap SS-FLSH-END2 is recommended

Model Number	Depth	Width	Height	T1	T2
SS-FLSH-3028	12	30	28	\$1,033	\$1,136
SS-FLSH-3228	12	32	28	\$1,061	\$1,167
SS-FLSH-3628	12	36	28	\$1,060	\$1,166
SS-FLSH-4228	12	42	28	\$1,319	\$1,451
SS-FLSH-4828	12	48	28	\$1,407	\$1,547
SS-FLSH-5428	12	54	28	\$1,736	\$1,910
SS-FLSH-6028	12	60	28	\$2,066	\$2,273
SS-FLSH-6628	12	66	28	\$2,092	\$2,301
SS-FLSH-7228	12	72	28	\$2,118	\$2,330
SS-FLSH-7828	12	78	28	\$2,378	\$2,616
SS-FLSH-8428	12	84	28	\$2,638	\$2,902

- All 1-1/8" material. Weight capacity of 25 lbs. per piece.

- All units include hardware for mounting. Must be professionally installed. Multiple shelves should be connected using SS-FLSH-END2 for \$289 for additional stability. End cap will add 1 1/8" to length of run.

- When mounted adjacent to a wall mounted overhead cabinet, it is recommended to secure the 2 units together.

cable tray



Model Number	Width	Length	Height	Price
AC-MGMT-TRAY-20	2 1/2	20	3 1/2	\$93
AC-MGMT-TRAY-32	2 1/2	32	3 1/2	\$114
AC-MGMT-TRAY-44	2 1/2	44	3 1/2	\$137
AC-MGMT-TRAY-56	2 1/2	56	3 1/2	\$209
AC-MGMT-TRAY-68	2 1/2	68	3 1/2	\$247

- Silver (Aluminum).
- Mounts under desktop with woodscrews (included).
- Low-profile wire tray ideal for use under height adjustable desks.

cable spine



Model Number	Color	Length	Price
AC-MGMT-CS50-BK	black	50"	\$147
AC-MGMT-CS50-SV	silver	50"	\$147
AC-MGMT-CS50-WT	white	50"	\$147

- Plastic material. Includes mounting bracket, and metal base plate. Links easily disconnect to adjust length.
- Links are 1 1/4" x 2-1/2".
- Appropriate for use with height adjustable or fixed height tables.

cable carrier



Model Number	Price
AC-MGMT-CBLC-BK	\$240

- Plastic material. Black or white finish.
- For use to run cords between a height adjustable desk and a trough or fixed return, mounts at both ends.
- Channel size is 1-1/2" x 1-1/2". 36" long.
- Includes brackets and installation screws.

flex wire manager



Model Number	Width	Length	Price
AC-MGMT-FLEX	1 1/2	5 3/8	\$19

- Price is for one unit.
- Secures with single screw.
- Grey plastic.

velcro wire manager



Model Number	Width	Length	Price
AC-MGMT-VELCRO	1 3/4	3 1/2	\$25

- Price is for one unit.
- Secures with double-sided tape.
- Black plastic and black velcro.

Please visit [Deskmakers.com](https://deskmakers.com) to view our current **Terms and Conditions**.

Please visit [Deskmakers.com](https://deskmakers.com) to view our current **Warranty**.

Showroom Locations

Los Angeles

Deskmakers Headquarters
6525 Flotilla Street
Commerce, CA 90040

DeskMakers

Phone: 323.264.2260 | Fax: 323.725.6960
www.deskmakers.com