



# reception

PRICE & SPECIFICATION GUIDE

overture      height adjustable overture

Version: 12.01.24  
*prices effective February 1, 2025*

Desk**Makers**

## revisions

---

10/24/19	Updated layout and finishes
01/01/21	Updated pricing and finishes
02/01/21	Corrected pricing on storage pedestals
09/01/21	Updated finishes
12/20/21	Updated pricing and finishes
03/31/22	Updated select pricing and skus
08/18/22	Added surcharge note
12/01/22	Updated pricing, discontinued 1 7/8" 29"H Overture, Convergence and Milano reception desks
04/01/23	Updated product information
10/18/23	Updated finishes
01/15/2024	Added height adjustable Overture reception desks
03/15/24	Updated pricing
08/30/24	Updated finishes and pulls
12/01/24	Updated pricing

table of contents

Laminates	4-6
Pulls	7
Overture Product Details	8-17
Overture Reception Desks	18-39
Storage	40-41
Risers	42-43
Height Adjustable Overture	
Product Details	44-49
Pricing	50-63
Height Adjustable Bases	64-74
Terms and Conditions	75
Warranty	76

# laminate finishes

## thermofuse laminate (TFL)

Pricing shown in this price list applies only to TFL finishes currently included in the DeskMakers finish collection. For the most accurate finish list please see [deskmakers.com](https://deskmakers.com).

## high pressure laminate (HPL)

Pricing shown in this price list applies only to non-premium HPLs as follows:

- Wilsonart: Solids, Woodgrains, and Abstracts in Matte (-60) finish,
- Formica: Color Portfolio, Woodgrains, and Patterns in Matte (-58) finish
- Pionite: Solids, Woodgrains, and Abstracts in Suede (N) finish
- Arborite: Solids, Woodgrains, Textures and Abstracts in Matte (CA) finish
- Nevamar: Solids, Woodgrains, Stones and Abstracts in ARP (-T) finish

A minimum charge of \$546 net per HPL color will be applied to each order.

Call customer service for pricing for all other HPLs.

Additional lead times required for HPL orders depending on material availability and order complexity.

## high pressure laminate (HPL) pricing chart

Most DeskMakers product is made of Thermofuse laminate (TFL). As such, there is an upcharge for ordering product in high pressure laminate (HPL). This upcharge varies based on the product and the size of the HPL order.

Please note that only the portion of the order in HPL will be calculated to determine the level of HPL upcharges.

HPL is always available with DeskMakers standard 2MM edgebanding. Special order matching PVC 2MM edgebanding may be available for orders \$25,000 List or larger, call customer service for pricing.

Product Category	Option Code	HPL UPCHARGE
<b>WORKSURFACES</b> All Shapes <i>Top surface HPL</i>	OP-HPL1-25-??	60%
<b>CASEGOODS</b> Top HPL only, balance TFL	OP-HPL1-1-??	25%
<b>CASEGOODS</b> Entire Unit HPL	OP-HPL1-4-??	120%
<b>CASEGOODS</b> HPL Drawer Fronts only	OP-HPL1-2-??	20%
<b>CASEGOODS</b> Top HPL and HPL Drawer Fronts	OP-HPL1-3-??	30%

# reception

## pulls & hardware

### standard pulls

---

Pulls are included on all drawers and cabinet doors for no upcharge.



101SN



101BL



105SN<sup>+</sup>



103SN



103SN



107SN<sup>+</sup>



115SN



115BL



201SN



125SN<sup>+</sup>



125BL<sup>+</sup>



201BL


\*The 125SN/BL pull is 7.5" long. On lateral file drawers and larger cabinet doors a longer 12.5" pull in the same style will be used. This may be identified as a "127SN/BL" pull on your acknowledgment.

\* 105 and 107 pulls are only available in the silver nickel 'SN' finish.

## Configurations

Overture is available in five footprint configurations combining multiple components to create the complete desk.

### Freestanding



Consists of:

- Desk Shell
- Transaction Counter
- One or Two Pedestals


### Gallery



Consists of:

- Desk Shell
- Transaction Counter
- Credenza Shell
- One or More Pedestals


### L-Shape



Consists of:

- Desk Shell
- Transaction Counter
- Return Shell
- One or More Pedestals


### U-Shape with Left and Right Returns



Consists of:

- Desk Shell
- Transaction Counter
- Two Return Shells
- One or More Pedestals

### U-Shape with Bridge and Credenza



Consists of:

- Desk Shell
- Transaction Counter
- Bridge Shell
- Credenza Shell
- One or More Pedestals

### Add on ADA Section




Left ADA Model Shown

ADA sections can be added to a desk shell.

## Overture Reception Desks

Overture offers three different shell styles, a variety of transaction counter add-ons and multiple design components that can be used to create multiple shapes and styles to fit an user's welcome space.


### Desk Height Shell



#### All 1-1/8" Thick Material


- All 1-1/8" thick material.
- TFL or HPL with 2mm PVC edges in DeskMakers standard colors.
- Full height modesty panel and end panels are flush to worksurfaces edges.

### Transaction Height Shells



#### 1-7/8" Thick Front and Side Panels, 1-1/8" Thick Worksurface

- 1-7/8" thick front panel and side panels.
- 1-1/8" thick worksurface inset between front panel and side panels.
- TFL or HPL with 2mm PVC edges in DeskMakers standard colors.




#### 3" Thick Front and Side Panels, 1-1/8" Thick Worksurface

- 3" thick front panel and side panels.
- 1-1/8" thick worksurface inset between front panel and side panels.
- Front and side panels only available in HPL
- Worksurface in TFL or HPL with 2mm PVC edges in DeskMakers standard colors.

## Desk Height Shells

All 1-1/8" Material




### Features

- All 1-1/8" thick material.
- TFL or HPL with 2mm PVC edges in DeskMakers standard colors.
- Full height modesty panel and end panels are flush to worksurfaces edges.
- Storage pedestals specified separately.
- Specify grommet and location.

### Desk Shell


- 30" and 36" depths.
- Lengths 60" to 120" in 6" increments.
- Worksurface is 29-1/8" high. Levelers add 1/2" to the height.

### Return Shell




- 19" and 24" depths.
- Lengths 36" to 72" in 6" increments.
- Right and Left hand units.
- No storage pedestals on 19" deep.

### Bridge Shell



- 19" and 24" depths.
- Lengths 36" to 72" in 6" increments.
- No storage pedestals on 19" deep.

### Credenza Shell




- 19" and 24" depths.
- Lengths 60" to 120" in 6" increments.
- No storage pedestals on 19" deep.

## Support Details

Lengths 60" - 72"




Lengths 78" - 96"



One Support Panel

Lengths 102" - 120"




Two Support Panels  
Seam

- Desk and credenza shells 60" to 72" do not have a center support panel.
- Desk and credenza shells 78" to 96" include a 1-1/8" thick center support panel.
- Desk and credenza shells wider than 96" come in two pieces with a center seam on the worksurface and front modesty and include two 1-1/8" thick center support panels.
- Center support panels are 15" deep on 30" deep desk shells and 18" deep on 36" deep desk shells.
- Center support panels are 9" deep on 19" deep credenza shells and 12" deep on 24" deep credenza shells.


## Grain Direction

- Grain Direction runs horizontal.


### Desk Shell




### Return Shell



### Bridge Shell




### Credenza Shell



## Transaction Height Shells

1-7/8" Thick Wall Panels, 1-1/8" Thick Worksurface




### Features

- 1-7/8" thick front panel and side panels.
- 1-1/8" thick worksurface inset between front panel and side panels.
- TFL or HPL with 2mm PVC edges in DeskMakers standard colors.
- Storage pedestals specified separately.
- Specify grommet and location.

### Desk Shell


- 30" and 36" depths.
- Lengths 60" to 120" in 6" increments.
- Front and side panels are 40" high. Levelers add 1/2" to the height.
- Worksurface is 29-1/8" high and attaches to wall panels with brackets.

### Return Shell




- 24" depths.
- Lengths 36" to 72" in 6" increments.
- Right and Left hand units.
- Only 18" deep pedestals can be used.

### Bridge Shell



- 19" and 24" depths.
- Lengths 36" to 72" in 6" increments.
- Only 18" deep pedestals can be used on 24" deep, none on 19" deep.

### Credenza Shell



- 24" depths.
- Lengths 60" to 120" in 6" increments.
- Only 18" deep pedestals can be used.

### Lengths 60" - 72"




### Lengths 78" - 96"



One Support Panel

### Lengths 102" - 120"




Two Support Panels

- Desk and credenza shells 60" to 72" do not have a center support panel.
- Desk and credenza shells 78" to 96" include a 1-1/8" thick center support panel.
- Desk and credenza shells wider than 96" come in two pieces with a center seam on the worksurface and front modesty and include two 1-1/8" thick center support panels.
- Center support panels are 15" deep on 30" deep desk shells and 18" deep on 36" deep desk shells.
- Center support panels are 12" deep on 24" deep credenza shells.


### Grain Direction

- Grain Direction runs horizontal.


### Desk Shell




### Return Shell



### Bridge Shell




### Credenza Shell



## Transaction Height Shells

3" Thick Wall Panels, 1-1/8" Thick Worksurface



### Features

- 3" thick front panel and side panels.
- 1-1/8" thick worksurface inset between front panel and side panels.
- Front and side panels only available in HPL
- Worksurface in TFL or HPL with 2mm PVC edges in DeskMakers standard colors.
- Storage pedestals specified separately.
- Specify grommet and location.

### Desk Shell


- 30" and 36" depths.
- Lengths 60" to 120" in 6" increments.
- Front and side panels are 40" high. Levelers add 1/2" to the height.
- Worksurface is 29-1/8" high and attaches to wall panels with brackets.

### Return Shell




- 24" depths.
- Lengths 36" to 72" in 6" increments.
- Right and Left hand units.
- Only 18" deep pedestals can be used.

### Bridge Shell



- 19" and 24" depths.
- Lengths 36" to 72" in 6" increments.
- Only 18" deep pedestals can be used on 24" deep, none on 19" deep.

### Credenza Shell




- 24" depths.
- Lengths 60" to 120" in 6" increments.
- Only 18" deep pedestals can be used.

### Lengths 60" - 72"




### Lengths 78" - 96"



One Support Panel

### Lengths 102" - 120"




Two Support Panels  
Seam

- Desk and credenza shells 60" to 72" do not have a center support panel.
- Desk and credenza shells 78" to 96" include a 1-1/8" thick center support panel.
- Desk and credenza shells wider than 96" come in two pieces with a center seam on the worksurface and front modesty and include two 1-1/8" thick center support panels.
- Center support panels are 15" deep on 30" deep desk shells and 18" deep on 36" deep desk shells.
- Center support panels are 12" deep on 24" deep credenza shells.


## Grain Direction

- Grain Direction runs horizontal.


### Desk Shell




### Return Shell



### Bridge Shell




### Credenza Shell



## Shroud Transaction Counter


For use with Desk Height Shells



### Features

- 1-7/8" thick top and side panels.
- 3/4" thick full height modesty panel is centered on top and side panels.
- 12" deep.
- 42" high. Levelers add 1/2" to the height.
- Width is 4" wider than desk shell width.
- TFL has 2mm PVC edges in DeskMakers standard colors. HPL has self edge.
- Can add glass transaction counter on top.
- Units wider than 94" are two pieces with a center seam on the top and front panel.

### Shroud Sizing



### Edge Seams

TFL with PVC Edges




HPL with HPL Edges




### Grain Direction

- Grain Direction runs horizontal on top and front panel.
- Grain Direction runs vertical on side panels.
- Grain direction on two piece shroud counters will not line up.




**Stack-On Transaction Counter**


For use with Desk Height Shells

**Features**


- 12" deep, 6" overlaps worksurface.
- 30" high, 12" above worksurface.
- TFL has 2mm PVC edges in DeskMakers standard colors. HPL has self edge.
- Can add glass transaction counter on top.
- Not available with 1-7/8" thick worksurfaces or transaction height desks.
- TFL version is all 3/4" thick material, with visible seams.
- HPL version has 1-1/8" thick top and sides.

**Placement**

Right Placement







Center Placement



Left Placement

**Grain Direction**


- Grain Direction runs horizontal.
- Grain direction on two piece L-Shape counters will not line up.

**Single****L-Shape****HPL****TFL**


## Maximum Sizes for Freestanding Desks with HPL Stack-On Counters

- One or more pedestals may be required based on the desk size.
- Single pedestal needs to be positioned directly opposite of the stack-on to act as a counter weight.
- Maximum HPL stack-on counter sizes based on weight of stack-on with a glass counter.

		Stack-On Length							
		30"	36"	42"	48"	54"	60"	66"	72"
Desk Length	60"	1 Ped	2 Peds	2 Peds	2 Peds	N/A	N/A	N/A	N/A
	66"	1 Ped	2 Peds	2 Peds	2 Peds	N/A	N/A	N/A	N/A
	72"	1 Ped	2 Peds	2 Peds	2 Peds	N/A	N/A	N/A	N/A
	78"	1 Ped	2 Peds	2 Peds	2 Peds	2 Peds	N/A	N/A	N/A
	84"	1 Ped	1 Ped	2 Peds	2 Peds	2 Peds	N/A	N/A	N/A
	90"	1 Ped	1 Ped	2 Peds	2 Peds	2 Peds	N/A	N/A	N/A
	96"	1 Ped	1 Ped	2 Peds	2 Peds	2 Peds	N/A	N/A	N/A
	102"	1 Ped	1 Ped	2 Peds	2 Peds	2 Peds	2 Peds	N/A	N/A
	108"	1 Ped	1 Ped	1 Ped	2 Peds	2 Peds	2 Peds	N/A	N/A
	114"	1 Ped	1 Ped	1 Ped	2 Peds	2 Peds	2 Peds	2 Peds	N/A
120"	1 Ped	1 Ped	1 Ped	2 Peds	2 Peds	2 Peds	2 Peds	2 Peds	



Right Placement




Left Placement



When using an L-Shape Stack-on with a straight desk, follow the same chart above to determine ped requirements according to longest side of the counter. Always select a counter size that stops 6" short of the front of the desk.




When using an L-Shape Stack-on with a multi-section desk, the front (long seamless side) of the stack-on should face the direction of approach. The stack-on counter should always stop at least 6" short of the end of the surface it sits on.




A large reception station may utilize multiple stack-on units. Please note that individual stack-ons are not designed to be connected to one another and are not guaranteed to sit flush or line-up. It is recommended when using multiple stack-ons to place them apart to create multi-level surfaces or mark individual work areas as in the examples above.

**Hang-On Transaction Counter**


For use with Transaction Height Shells

**Features**


- 1-7/8" thick top and front panel.
- 12" deep & 34" high.
- 1" gap between hang-on counter and front of desk shell panel.
- TFL has 2mm PVC edges in DeskMakers standard colors. HPL has self edge.
- Can add glass transaction counter on top.
- Not available with desk height shells.
- Entire hang-on counter must be supported by desk shell.

**Placement**

Right Placement



Center Placement



Left Placement

**Edge Seams****TFL with PVC Edges**


Seam

**HPL with HPL Edges**

No Seam


**Grain Direction**

- Grain Direction runs horizontal.



## Angled Hang-On Transaction Counter


For use with Transaction Height Shells




### Features

- 1-7/8" thick top and front panel.
- 12" deep & 34" high.
- 1" gap between hang-on counter and front of desk shell panel.
- Only available in HPL with self edge.
- Can add glass transaction counter on top.
- Not available with desk height shells.
- Entire hang-on counter must be supported by desk shell.

### Placement



Right Placement



Left Placement

### Edge Seams


HPL with HPL Edges



Left Model


### Grain Direction

- Grain Direction runs horizontal.



**Desk Shell Desk Height**

All 1-1/8" Thick Material




Model Number	Depth	Length	Height	TFL (T)	HPL (H)
<b>30" Deep</b>					
OV-DSD1-3060-?	30	60	29	\$1,735	\$3,104
OV-DSD1-3066-?	30	66	29	\$1,743	\$3,115
OV-DSD1-3072-?	30	72	29	\$1,749	\$3,130
OV-DSD1-3078-?	30	78	29	\$1,917	\$3,433
OV-DSD1-3084-?	30	84	29	\$1,925	\$3,445
OV-DSD1-3090-?	30	90	29	\$2,040	\$3,653
OV-DSD1-3096-?	30	96	29	\$2,048	\$3,664
OV-DSD1-3002-?	30	102	29	\$3,045	\$5,450
OV-DSD1-3008-?	30	108	29	\$3,055	\$5,464
OV-DSD1-3014-?	30	114	29	\$3,085	\$5,523
OV-DSD1-3020-?	30	120	29	\$3,095	\$5,537
<b>36" Deep</b>					
OV-DSD1-3660-?	36	60	29	\$1,994	\$3,569
OV-DSD1-3666-?	36	66	29	\$2,002	\$3,582
OV-DSD1-3672-?	36	72	29	\$2,008	\$3,596
OV-DSD1-3678-?	36	78	29	\$2,181	\$3,901
OV-DSD1-3684-?	36	84	29	\$2,187	\$3,914
OV-DSD1-3690-?	36	90	29	\$2,304	\$4,121
OV-DSD1-3696-?	36	96	29	\$2,310	\$4,135
OV-DSD1-3602-?	36	102	29	\$3,311	\$5,923
OV-DSD1-3608-?	36	108	29	\$3,318	\$5,940
OV-DSD1-3614-?	36	114	29	\$3,350	\$5,995
OV-DSD1-3620-?	36	120	29	\$3,358	\$6,010

- All 1-1/8" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Desk shells 78" and longer include a center support panel. Desk shells over 96" are 2 pieces with a center seam.

**Return Shell Desk Height**

All 1-1/8" Thick Material




Right Model Shown

Model Number		Depth	Length	Height	TFL (T)	HPL (H)
<b>19" Deep</b>						
<b>Left Model</b>	<b>Right Model</b>					
OV-RSD1-1936-L-?	OV-RSD1-1936-R-?	19	36	29	\$1,203	\$2,154
OV-RSD1-1942-L-?	OV-RSD1-1942-R-?	19	42	29	\$1,209	\$2,165
OV-RSD1-1948-L-?	OV-RSD1-1948-R-?	19	48	29	\$1,218	\$2,180
OV-RSD1-1954-L-?	OV-RSD1-1954-R-?	19	54	29	\$1,298	\$2,322
OV-RSD1-1960-L-?	OV-RSD1-1960-R-?	19	60	29	\$1,304	\$2,335
OV-RSD1-1966-L-?	OV-RSD1-1966-R-?	19	66	29	\$1,620	\$2,898
OV-RSD1-1972-L-?	OV-RSD1-1972-R-?	19	72	29	\$1,628	\$2,912
<b>24" Deep</b>						
<b>Left Model</b>	<b>Right Model</b>					
OV-RSD1-2436-L-?	OV-RSD1-2436-R-?	24	36	29	\$1,424	\$2,548
OV-RSD1-2442-L-?	OV-RSD1-2442-R-?	24	42	29	\$1,430	\$2,559
OV-RSD1-2448-L-?	OV-RSD1-2448-R-?	24	48	29	\$1,438	\$2,572
OV-RSD1-2454-L-?	OV-RSD1-2454-R-?	24	54	29	\$1,516	\$2,714
OV-RSD1-2460-L-?	OV-RSD1-2460-R-?	24	60	29	\$1,524	\$2,727
OV-RSD1-2466-L-?	OV-RSD1-2466-R-?	24	66	29	\$1,839	\$3,291
OV-RSD1-2472-L-?	OV-RSD1-2472-R-?	24	72	29	\$1,845	\$3,304

- All 1-1/8" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk shell.
- Please note that storage pedestals will not fix under a 19" return, only the 24".

**Bridge Shell Desk Height**

All 1-1/8" Thick Material




Model Number	Depth	Length	Height	TFL (T)	HPL (H)
<b>19" Deep</b>					
OV-BRD1-1936-?	19	36	29	\$970	\$1,736
OV-BRD1-1942-?	19	42	29	\$978	\$1,749
OV-BRD1-1948-?	19	48	29	\$986	\$1,763
OV-BRD1-1954-?	19	54	29	\$1,064	\$1,902
OV-BRD1-1960-?	19	60	29	\$1,071	\$1,917
OV-BRD1-1966-?	19	66	29	\$1,387	\$2,481
OV-BRD1-1972-?	19	72	29	\$1,393	\$2,493
<b>24" Deep</b>					
OV-BRD1-2436-?	24	36	29	\$972	\$1,739
OV-BRD1-2442-?	24	42	29	\$981	\$1,755
OV-BRD1-2448-?	24	48	29	\$987	\$1,765
OV-BRD1-2454-?	24	54	29	\$1,067	\$1,907
OV-BRD1-2460-?	24	60	29	\$1,074	\$1,923
OV-BRD1-2466-?	24	66	29	\$1,390	\$2,486
OV-BRD1-2472-?	24	72	29	\$1,396	\$2,499

- All 1-1/8" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk and credenza shells.
- Please note that storage pedestals will not fix under a 19" bridge, only the 24".

**Credenza Shell Desk Height**

All 1-1/8" Thick Material



Model Number	Depth	Length	Height	TFL (T)	HPL (H)
<b>19" Deep</b>					
OV-CSD1-1960-?	19	60	29	\$1,715	\$3,069
OV-CSD1-1966-?	19	66	29	\$1,721	\$3,080
OV-CSD1-1972-?	19	72	29	\$1,729	\$3,096
OV-CSD1-1978-?	19	78	29	\$1,896	\$3,391
OV-CSD1-1984-?	19	84	29	\$1,902	\$3,403
OV-CSD1-1990-?	19	90	29	\$1,931	\$3,456
OV-CSD1-1996-?	19	96	29	\$1,939	\$3,469
OV-CSD1-1902-?	19	102	29	\$3,018	\$5,400
OV-CSD1-1908-?	19	108	29	\$3,026	\$5,414
OV-CSD1-1914-?	19	114	29	\$3,058	\$5,471
OV-CSD1-1920-?	19	120	29	\$3,065	\$5,485
<b>24" Deep</b>					
OV-CSD1-2460-?	24	60	29	\$1,723	\$3,085
OV-CSD1-2466-?	24	66	29	\$1,730	\$3,098
OV-CSD1-2472-?	24	72	29	\$1,738	\$3,109
OV-CSD1-2478-?	24	78	29	\$1,905	\$3,409
OV-CSD1-2484-?	24	84	29	\$1,913	\$3,424
OV-CSD1-2490-?	24	90	29	\$1,942	\$3,475
OV-CSD1-2496-?	24	96	29	\$1,950	\$3,488
OV-CSD1-2402-?	24	102	29	\$3,030	\$5,423
OV-CSD1-2408-?	24	108	29	\$3,039	\$5,440
OV-CSD1-2414-?	24	114	29	\$3,070	\$5,494
OV-CSD1-2420-?	24	120	29	\$3,079	\$5,510

- All 1-1/8" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to bridge shell. Can be freestanding.
- Credenza shells 78" and longer include a center support panel. Credenza shells over 96" are 2 pieces with a center seam.
- Please note that storage pedestals will not fit under a 19" credenza, only the 24".

**ADA Section with 10" High Modesty Panel**

All 1-1/8" Thick Material



Model Number	Depth	Length	Height	TFL (T)	HPL (H)
<b>30" Deep</b>					
OV-ADA1-3030-?	30	30	29	\$1,248	\$2,233
OV-ADA1-3036-?	30	36	29	\$1,280	\$2,291
<b>36" Deep</b>					
OV-ADA1-3630-?	36	30	29	\$1,505	\$2,693
OV-ADA1-3636-?	36	36	29	\$1,537	\$2,751


- 10" high modesty panel is centered on the worksurface and end panel.
- All pieces are 1-1/8" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk shell.

**ADA Section with Full Height Modesty Panel**

All 1-1/8" Thick Material



Left Model Shown



Model Number		Depth	Length	Height	TFL (T)	HPL (H)
30" Deep						
Left Model	Right Model					
OV-ADA2-3030-L-?	OV-ADA2-3030-R-?	30	30	29	\$1,333	\$2,388
OV-ADA2-3036-L-?	OV-ADA2-3036-R-?	30	36	29	\$1,337	\$2,391
36" Deep						
Left Model	Right Model					
OV-ADA2-3630-L-?	OV-ADA2-3630-R-?	36	30	29	\$1,591	\$2,848
OV-ADA2-3636-L-?	OV-ADA2-3636-R-?	36	36	29	\$1,592	\$2,849

- Full height modesty panel is recessed 19" away from the guest side .
- All 1-1/8" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk shell.

**ADA Section with 10" High Modesty Panel**

1-7/8" Thick Worksurface and Side Panels, 3/4" Thick Modesty Panel



Model Number	Depth	Length	Height	TFL (T)	HPL (H)
<b>30" Deep</b>					
OV-ADA3-3030-?	30	30	30	\$2,638	\$4,722
OV-ADA3-3036-?	30	36	30	\$2,645	\$4,735
<b>36" Deep</b>					
OV-ADA3-3630-?	36	30	30	\$3,122	\$5,587
OV-ADA3-3636-?	36	36	30	\$3,130	\$5,598


- 10" high modesty panel is centered on the worksurface and end panel.
- Worksurface and end panel are 1-7/8" thick material. Modesty panel is 3/4" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk shell.

**ADA Section with Full Height Modesty Panel**

1-7/8" Thick Worksurface and Side Panels, 3/4" Thick Modesty Panel



Left Model Shown



Model Number		Depth	Length	Height	TFL (T)	HPL (H)
30" Deep						
Left Model	Right Model					
OV-ADA4-3030-L-?	OV-ADA4-3030-R-?	30	30	30	\$2,648	\$4,740
OV-ADA4-3036-L-?	OV-ADA4-3036-R-?	30	36	30	\$2,658	\$4,755
36" Deep						
Left Model	Right Model					
OV-ADA4-3630-L-?	OV-ADA4-3630-R-?	36	30	30	\$3,134	\$5,608
OV-ADA4-3636-L-?	OV-ADA4-3636-R-?	36	36	30	\$3,140	\$5,619

- Full height modesty panel is recessed 19" away from the guest side .
- Worksurface and end panel are 1-7/8" thick material. Modesty panel is 3/4" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk shell.

**Desk Shell Transaction Height**

1-7/8" Thick Wall Panels, 1-1/8" Thick Worksurface




Model Number	Depth	Length	Height	TFL (T)	HPL (H)
<b>30" Deep</b>					
OV-DST2-3060-?	30	60	40	\$4,938	\$8,838
OV-DST2-3066-?	30	66	40	\$4,944	\$8,848
OV-DST2-3072-?	30	72	40	\$4,952	\$8,862
OV-DST2-3078-?	30	78	40	\$5,122	\$9,164
OV-DST2-3084-?	30	84	40	\$5,130	\$9,180
OV-DST2-3090-?	30	90	40	\$5,518	\$9,874
OV-DST2-3096-?	30	96	40	\$5,525	\$9,887
OV-DST2-3002-?	30	102	40	\$7,320	\$13,097
OV-DST2-3008-?	30	108	40	\$7,328	\$13,113
OV-DST2-3014-?	30	114	40	\$7,358	\$13,167
OV-DST2-3020-?	30	120	40	\$7,366	\$13,181
<b>36" Deep</b>					
OV-DST2-3660-?	36	60	40	\$5,197	\$9,303
OV-DST2-3666-?	36	66	40	\$5,207	\$9,316
OV-DST2-3672-?	36	72	40	\$5,213	\$9,327
OV-DST2-3678-?	36	78	40	\$5,384	\$9,637
OV-DST2-3684-?	36	84	40	\$5,392	\$9,650
OV-DST2-3690-?	36	90	40	\$5,780	\$10,343
OV-DST2-3696-?	36	96	40	\$5,787	\$10,358
OV-DST2-3602-?	36	102	40	\$7,584	\$13,573
OV-DST2-3608-?	36	108	40	\$7,595	\$13,589
OV-DST2-3614-?	36	114	40	\$7,628	\$13,651
OV-DST2-3620-?	36	120	40	\$7,633	\$13,659

- Wall panels are 1-7/8" thick material. Worksurface is 1-1/8" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Desk shells 78" and longer include a center support panel. Desk shells over 96" are 2 pieces with a center seam.

### Return Shell Transaction Height

1-7/8" Thick Wall Panels, 1-1/8" Thick Worksurface




Right Model Shown

Model Number		Depth	Length	Height	TFL (T)	HPL (H)
<b>24" Deep</b>						
<b>Left Model</b>	<b>Right Model</b>					
OV-RST2-2436-L-?	OV-RST2-2436-R-?	24	36	40	\$3,680	\$6,586
OV-RST2-2442-L-?	OV-RST2-2442-R-?	24	42	40	\$3,689	\$6,600
OV-RST2-2448-L-?	OV-RST2-2448-R-?	24	48	40	\$3,695	\$6,613
OV-RST2-2454-L-?	OV-RST2-2454-R-?	24	54	40	\$3,724	\$6,666
OV-RST2-2460-L-?	OV-RST2-2460-R-?	24	60	40	\$3,800	\$6,800
OV-RST2-2466-L-?	OV-RST2-2466-R-?	24	66	40	\$3,957	\$7,083
OV-RST2-2472-L-?	OV-RST2-2472-R-?	24	72	40	\$3,967	\$7,097

- Wall panels are 1-7/8" thick material. Worksurface is 1-1/8" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk shell.
- Only 18" deep pedestals can be used.

**Bridge Shell Transaction Height**

1-7/8" Thick Wall Panels, 1-1/8" Thick Worksurface




Model Number	Depth	Length	Height	TFL (T)	HPL (H)
<b>19" Deep</b>					
OV-BRT2-1936-?	19	36	40	\$2,512	\$4,495
OV-BRT2-1942-?	19	42	40	\$2,518	\$4,506
OV-BRT2-1948-?	19	48	40	\$2,526	\$4,522
OV-BRT2-1954-?	19	54	40	\$2,557	\$4,576
OV-BRT2-1960-?	19	60	40	\$2,632	\$4,709
OV-BRT2-1966-?	19	66	40	\$2,790	\$4,992
OV-BRT2-1972-?	19	72	40	\$2,797	\$5,006
<b>24" Deep</b>					
OV-BRT2-2436-?	24	36	40	\$2,515	\$4,501
OV-BRT2-2442-?	24	42	40	\$2,521	\$4,513
OV-BRT2-2448-?	24	48	40	\$2,529	\$4,527
OV-BRT2-2454-?	24	54	40	\$2,560	\$4,580
OV-BRT2-2460-?	24	60	40	\$2,633	\$4,711
OV-BRT2-2466-?	24	66	40	\$2,793	\$4,997
OV-BRT2-2472-?	24	72	40	\$2,800	\$5,011

- Wall panels are 1-7/8" thick material. Worksurface is 1-1/8" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk and credenza shells.
- Only 18" deep pedestals can be used on 24" deep, no pedestals can be used on 19" deep.

**Credenza Shell Transaction Height**

1-7/8" Thick Wall Panels, 1-1/8" Thick Worksurface




Model Number	Depth	Length	Height	TFL (T)	HPL (H)
<b>24" Deep</b>					
OV-CST2-2460-?	24	60	40	\$4,941	\$8,843
OV-CST2-2466-?	24	66	40	\$4,949	\$8,857
OV-CST2-2472-?	24	72	40	\$4,955	\$8,867
OV-CST2-2478-?	24	78	40	\$5,125	\$9,172
OV-CST2-2484-?	24	84	40	\$5,131	\$9,182
OV-CST2-2490-?	24	90	40	\$5,430	\$9,719
OV-CST2-2496-?	24	96	40	\$5,436	\$9,730
OV-CST2-2402-?	24	102	40	\$7,303	\$13,070
OV-CST2-2408-?	24	108	40	\$7,311	\$13,084
OV-CST2-2414-?	24	114	40	\$7,342	\$13,138
OV-CST2-2420-?	24	120	40	\$7,348	\$13,149

- Wall panels are 1-7/8" thick material. Worksurface is 1-1/8" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to bridge shell. Can be freestanding.
- Credenza shells 78" and longer include a center support panel. Credenza shells over 96" are 2 pieces with a center seam.
- Only 18" deep pedestals can be used.

**Desk Shell Transaction Height**

3" Thick Wall Panels, 1-1/8" Thick Worksurface




Model Number	Depth	Length	Height	HPL (H)
<b>30" Deep</b>				
OV-DST3-3060-H	30	60	40	\$14,359
OV-DST3-3066-H	30	66	40	\$14,633
OV-DST3-3072-H	30	72	40	\$14,962
OV-DST3-3078-H	30	78	40	\$15,508
OV-DST3-3084-H	30	84	40	\$15,838
OV-DST3-3090-H	30	90	40	\$16,111
OV-DST3-3096-H	30	96	40	\$16,440
OV-DST3-3002-H	30	102	40	\$20,443
OV-DST3-3008-H	30	108	40	\$20,774
OV-DST3-3014-H	30	114	40	\$21,048
OV-DST3-3020-H	30	120	40	\$21,379
<b>36" Deep</b>				
OV-DST3-3660-H	36	60	40	\$15,191
OV-DST3-3666-H	36	66	40	\$15,466
OV-DST3-3672-H	36	72	40	\$15,795
OV-DST3-3678-H	36	78	40	\$16,342
OV-DST3-3684-H	36	84	40	\$16,671
OV-DST3-3690-H	36	90	40	\$17,006
OV-DST3-3696-H	36	96	40	\$17,336
OV-DST3-3602-H	36	102	40	\$21,258
OV-DST3-3608-H	36	108	40	\$21,587
OV-DST3-3614-H	36	114	40	\$21,859
OV-DST3-3620-H	36	120	40	\$22,190

- Wall panels are 3" thick in HPL with self edge. Worksurface is 1-1/8" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges on worksurface are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Desk shells 78" and longer include a center support panel. Desk shells over 96" are 2 pieces with a center seam.

**Return Shell Transaction Height**

3" Thick Wall Panels, 1-1/8" Thick Worksurface




Right Model Shown

Model Number		Depth	Length	Height	HPL (H)
<b>24" Deep</b>					
<b>Left Model</b>	<b>Right Model</b>				
OV-RST3-2436-L-H	OV-RST3-2436-R-H	24	36	40	\$10,125
OV-RST3-2442-L-H	OV-RST3-2442-R-H	24	42	40	\$10,398
OV-RST3-2448-L-H	OV-RST3-2448-R-H	24	48	40	\$10,729
OV-RST3-2454-L-H	OV-RST3-2454-R-H	24	54	40	\$12,257
OV-RST3-2460-L-H	OV-RST3-2460-R-H	24	60	40	\$12,587
OV-RST3-2466-L-H	OV-RST3-2466-R-H	24	66	40	\$13,197
OV-RST3-2472-L-H	OV-RST3-2472-R-H	24	72	40	\$13,525

- Wall panels are 3" thick in HPL with self edge. Worksurface is 1-1/8" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges on worksurface are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk shell.
- Only 18" deep pedestals can be used.

**Bridge Shell Transaction Height**

3" Thick Wall Panels, 1-1/8" Thick Worksurface




Model Number	Depth	Length	Height	HPL (H)
<b>19" Deep</b>				
OV-BRT3-1936-H	19	36	40	\$4,735
OV-BRT3-1942-H	19	42	40	\$4,888
OV-BRT3-1948-H	19	48	40	\$5,098
OV-BRT3-1954-H	19	54	40	\$6,508
OV-BRT3-1960-H	19	60	40	\$6,718
OV-BRT3-1966-H	19	66	40	\$7,158
OV-BRT3-1972-H	19	72	40	\$7,317
<b>24" Deep</b>				
OV-BRT3-2436-H	24	36	40	\$4,888
OV-BRT3-2442-H	24	42	40	\$5,042
OV-BRT3-2448-H	24	48	40	\$5,201
OV-BRT3-2454-H	24	54	40	\$6,612
OV-BRT3-2460-H	24	60	40	\$6,821
OV-BRT3-2466-H	24	66	40	\$7,262
OV-BRT3-2472-H	24	72	40	\$7,421

- Wall panel is 3" thick in HPL with self edge. Worksurface is 1-1/8" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges on worksurface are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk and credenza shells.
- Only 18" deep pedestals can be used on 24" deep, no pedestals can be used on 19" deep.

**Credenza Shell Transaction Height**

3" Thick Wall Panels, 1-1/8" Thick Worksurface



Model Number	Depth	Length	Height	HPL (H)
<b>24" Deep</b>				
OV-CST3-2460-H	24	60	40	\$13,756
OV-CST3-2466-H	24	66	40	\$14,028
OV-CST3-2472-H	24	72	40	\$14,357
OV-CST3-2478-H	24	78	40	\$14,901
OV-CST3-2484-H	24	84	40	\$15,230
OV-CST3-2490-H	24	90	40	\$15,504
OV-CST3-2496-H	24	96	40	\$15,913
OV-CST3-2402-H	24	102	40	\$19,830
OV-CST3-2408-H	24	108	40	\$20,170
OV-CST3-2414-H	24	114	40	\$20,443
OV-CST3-2420-H	24	120	40	\$20,770

- Wall panels are 3" thick in HPL with self edge. Worksurface is 1-1/8" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges on worksurface are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to bridge shell. Can be freestanding.
- Credenza shells 78" and longer include a center support panel. Credenza shells over 96" are 2 pieces with a center seam.
- Only 18" deep pedestals can be used.

**1-1/8" Thick Laminate Transaction Counter**

Model Number	Depth	Length	TFL (T)	HPL (H)
OV-LMCT-1260-?	12	60	\$337	\$603
OV-LMCT-1266-?	12	66	\$342	\$610
OV-LMCT-1272-?	12	72	\$345	\$616
OV-LMCT-1278-?	12	78	\$348	\$621
OV-LMCT-1284-?	12	84	\$351	\$626
OV-LMCT-1290-?	12	90	\$354	\$632
OV-LMCT-1296-?	12	96	\$357	\$637
OV-LMCT-1202-?	12	102	\$651	\$1,166
OV-LMCT-1208-?	12	108	\$654	\$1,173
OV-LMCT-1214-?	12	114	\$661	\$1,179
OV-LMCT-1220-?	12	120	\$664	\$1,186


- Only available for use with transaction height desk shells.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Ships with metal brackets to be field installed.

**3/8" Thick Glass Transaction Counter**

Model Number	Depth	Length	Stand-offs	Glass (G)
OV-GLCT-1230	12	30	4	\$1,258
OV-GLCT-1236	12	36	4	\$1,304
OV-GLCT-1239	12	39	4	\$1,324
OV-GLCT-1242	12	42	4	\$1,347
OV-GLCT-1245	12	45	4	\$1,370
OV-GLCT-1248	12	48	4	\$1,396
OV-GLCT-1251	12	51	6	\$1,596
OV-GLCT-1254	12	54	6	\$1,796
OV-GLCT-1257	12	57	6	\$1,870
OV-GLCT-1260	12	60	6	\$1,943
OV-GLCT-1266	12	66	6	\$1,985
OV-GLCT-1272	12	72	6	\$2,003

- Glass transaction counters are cut exact to size.
- Glass counters are clear tempered glass and have a slightly green tint.
- Ships with metal stand-off supports to be field installed.
- Must be installed onto another transaction counter.

## Stack-On Transaction Counter




Model Number	Depth	Length	Height	TFL (T)	HPL (H)
OV-STCT-1230-?	12	30	30	\$1,436	\$2,598
OV-STCT-1236-?	12	36	30	\$1,551	\$2,951
OV-STCT-1242-?	12	42	30	\$1,665	\$3,502
OV-STCT-1248-?	12	48	30	\$1,781	\$4,228
OV-STCT-1254-?	12	54	30	\$1,908	\$4,832
OV-STCT-1260-?	12	60	30	\$2,013	\$5,652
OV-STCT-1266-?	12	66	30	\$2,146	\$6,026
OV-STCT-1272-?	12	72	30	\$2,212	\$6,400

- Only available for use with all 1-1/8" thick material desk height desk shells.
- Cannot be used on freestanding credenza shells.
- Glass transaction counters can be added to top of stack-on counters.
- Reference chart on page 12 for specification limitations. Peds are required to counter balance certain stack-on sizes.
- Stack-on should always be at least 6" shorter than the surface it sits on.

## Stack-On Transaction Counter

Symmetrical L-Shape




Model Number		Front Width	Depth	Side Width	Height	TFL (T)	HPL (H)
Left Model	Right Model						
OV-STCT-3030-L-?	OV-STCT-3030-R-?	30	12	18	30	\$2,468	\$5,196
OV-STCT-3636-L-?	OV-STCT-3636-R-?	36	12	24	30	\$2,804	\$5,902
OV-STCT-4242-L-?	OV-STCT-4242-R-?	42	12	30	30	\$3,327	\$7,004
OV-STCT-4848-L-?	OV-STCT-4848-R-?	48	12	36	30	\$4,016	\$8,457
OV-STCT-5454-L-?	OV-STCT-5454-R-?	54	12	42	30	\$4,590	\$9,663
OV-STCT-6060-L-?	OV-STCT-6060-R-?	60	12	48	30	\$5,369	\$11,302
OV-STCT-6666-L-?	OV-STCT-6666-R-?	66	12	54	30	\$5,725	\$12,051
OV-STCT-7272-L-?	OV-STCT-7272-R-?	72	12	60	30	\$6,080	\$12,800

- Only available for use with all 1-1/8" thick material desk height desk shells.
- Ships in 2 pieces. Grain will not be matched at seams.
- Glass transaction counters can be added to top of stack-on counters.
- Reference chart on page 12 for specification limitations. Peds are required to counter balance certain stack-on sizes.
- Stack-on should always be at least 6" shorter than the surface it sits on.

**Stack-On Transaction Counter**

Non-Symmetrical L-Shape



Model Number		Front Width	Depth	Side Width	Height	TFL (T)	HPL (H)
<b>30" Deep</b>							
<b>Left Model</b>	<b>Right Model</b>						
OV-STCT-3036-L-?	OV-STCT-3036-R-?	36	12	18	30	\$2,986	\$5,548
OV-STCT-3042-L-?	OV-STCT-3042-R-?	42	12	18	30	\$3,100	\$6,100
OV-STCT-3048-L-?	OV-STCT-3048-R-?	48	12	18	30	\$3,216	\$6,826
OV-STCT-3054-L-?	OV-STCT-3054-R-?	54	12	18	30	\$3,344	\$7,428
OV-STCT-3060-L-?	OV-STCT-3060-R-?	60	12	18	30	\$3,449	\$8,249
OV-STCT-3066-L-?	OV-STCT-3066-R-?	66	12	18	30	\$3,582	\$8,623
OV-STCT-3072-L-?	OV-STCT-3072-R-?	72	12	18	30	\$3,647	\$8,998
<b>36" Deep</b>							
OV-STCT-3642-L-?	OV-STCT-3642-R-?	42	12	24	30	\$3,215	\$6,453
OV-STCT-3648-L-?	OV-STCT-3648-R-?	48	12	24	30	\$3,330	\$7,179
OV-STCT-3654-L-?	OV-STCT-3654-R-?	54	12	24	30	\$3,459	\$7,783
OV-STCT-3660-L-?	OV-STCT-3660-R-?	60	12	24	30	\$3,564	\$8,602
OV-STCT-3666-L-?	OV-STCT-3666-R-?	66	12	24	30	\$3,697	\$8,976
OV-STCT-3672-L-?	OV-STCT-3672-R-?	72	12	24	30	\$3,762	\$9,351
<b>42" Deep</b>							
OV-STCT-4248-L-?	OV-STCT-4248-R-?	48	12	30	30	\$3,444	\$7,730
OV-STCT-4254-L-?	OV-STCT-4254-R-?	54	12	30	30	\$3,573	\$8,333
OV-STCT-4260-L-?	OV-STCT-4260-R-?	60	12	30	30	\$3,677	\$9,153
OV-STCT-4266-L-?	OV-STCT-4266-R-?	66	12	30	30	\$3,810	\$9,528
OV-STCT-4272-L-?	OV-STCT-4272-R-?	72	12	30	30	\$3,876	\$9,902
<b>48" Deep</b>							
OV-STCT-4854-L-?	OV-STCT-4854-R-?	54	12	36	30	\$3,688	\$9,059
OV-STCT-4860-L-?	OV-STCT-4860-R-?	60	12	36	30	\$3,793	\$9,879
OV-STCT-4866-L-?	OV-STCT-4866-R-?	66	12	36	30	\$3,926	\$10,254
OV-STCT-4872-L-?	OV-STCT-4872-R-?	72	12	36	30	\$3,992	\$10,628
<b>54" Deep</b>							
OV-STCT-5460-L-?	OV-STCT-5460-R-?	60	12	42	30	\$3,921	\$10,482
OV-STCT-5466-L-?	OV-STCT-5466-R-?	66	12	42	30	\$4,054	\$10,858
OV-STCT-5472-L-?	OV-STCT-5472-R-?	72	12	42	30	\$4,120	\$11,231
<b>60" Deep</b>							
OV-STCT-6066-L-?	OV-STCT-6066-R-?	66	12	48	30	\$4,159	\$11,677
OV-STCT-6072-L-?	OV-STCT-6072-R-?	72	12	48	30	\$4,224	\$12,051
<b>66" Deep</b>							
OV-STCT-6672-L-?	OV-STCT-6672-R-?	72	12	54	30	\$4,358	\$12,426

- Only available for use with all 1-1/8" thick material desk height desk shells.


- Ships in 2 pieces. Grain will not be matched at seams. Glass transaction counters can be added to top of stack-on counters.

- Reference chart on page 12 for specification limitations. Peds are required to counter balance certain stack-on sizes.


- Stack-on should always be at least 6" shorter than the surface it sits on.

**Hang-On Transaction Counter**

1-7/8" Thick



TFL Model



HPL Model



TFL Edge Detail




HPL Edge Detail

Model Number	Depth	Length	Height	TFL (T)	HPL (H)
OV-HGCT-1230-?	12	30	34	\$1,545	\$3,009
OV-HGCT-1236-?	12	36	34	\$1,646	\$3,206
OV-HGCT-1242-?	12	42	34	\$1,763	\$3,433
OV-HGCT-1248-?	12	48	34	\$1,916	\$3,732
OV-HGCT-1254-?	12	54	34	\$2,255	\$4,390
OV-HGCT-1260-?	12	60	34	\$2,294	\$4,469
OV-HGCT-1266-?	12	66	34	\$2,336	\$4,548
OV-HGCT-1272-?	12	72	34	\$2,376	\$4,626

- Hang-on counters are 1-7/8" thick material.
- Only available for use with transaction height desk shells.
- Edges on TFL counter are DeskMakers standard 2MM PVC edgebanding and self edge on HPL counters.

**Angled Hang-On Transaction Counter**

1-7/8" Thick




Left Model Shown


Model Number		Depth	Length	Height	TFL (T)	HPL (H)
Left Model	Right Model					
OV-AHCT-1230-L-H	OV-AHCT-1230-R-H	12	30	34	N/A	\$3,222
OV-AHCT-1236-L-H	OV-AHCT-1236-R-H	12	36	34	N/A	\$3,599
OV-AHCT-1242-L-H	OV-AHCT-1242-R-H	12	42	34	N/A	\$4,080
OV-AHCT-1248-L-H	OV-AHCT-1248-R-H	12	48	34	N/A	\$4,454
OV-AHCT-1254-L-H	OV-AHCT-1254-R-H	12	54	34	N/A	\$4,980
OV-AHCT-1260-L-H	OV-AHCT-1260-R-H	12	60	34	N/A	\$5,334
OV-AHCT-1266-L-H	OV-AHCT-1266-R-H	12	66	34	N/A	\$5,592
OV-AHCT-1272-L-H	OV-AHCT-1272-R-H	12	72	34	N/A	\$5,950

- Hang-on counters are 1-7/8" thick material.
- Only available for use with transaction height desk shells.
- Edges are self edge on HPL counters.

## Shroud Transaction Counter



TFL Model



HPL Model



TFL Edge Detail




HPL Edge Detail

Model Number	Depth	Length	Height	TFL (T)	HPL (H)
OV-SHCT-1264-?	12	64	42	\$4,877	\$8,985
OV-SHCT-1270-?	12	70	42	\$4,935	\$9,091
OV-SHCT-1276-?	12	76	42	\$4,992	\$9,196
OV-SHCT-1282-?	12	82	42	\$5,050	\$9,303
OV-SHCT-1288-?	12	88	42	\$5,107	\$9,408
OV-SHCT-1294-?	12	94	42	\$5,312	\$9,787
OV-SHCT-1200-?	12	100	42	\$6,094	\$11,227
OV-SHCT-1206-?	12	106	42	\$6,810	\$12,544
OV-SHCT-1212-?	12	112	42	\$6,868	\$12,652
OV-SHCT-1218-?	12	118	42	\$6,926	\$12,758
OV-SHCT-1224-?	12	124	42	\$6,984	\$12,867


- Only available for use with all 1-1/8" thick material desk height desk shells.
- Shroud counters are 1-7/8" thick material on the top and sides. Full modesty is 3/4" thick material. Grain runs horizontal.
- Includes adjustable glides.
- Edges on TFL counter are DeskMakers standard 2MM PVC edgebanding and self edge on HPL counters.
- Full height front panel is inset 6".
- Shrouds over 96" are 2 pieces with a center seam. Grain will not line up.

## Accent Panels

The Overture Collection features several accent panel types that can be applied to the desk shells to create stylish and unique solutions in a few easy steps. These panels can also be paired with the Height Adjustable Shells (pages 50 & 56).




### Applied Laminate Accent Panels



Model Number		Depth	Length	TFL (T)	HPL (H)
<b>30" Deep</b>					
<b>Left Model</b>	<b>Right Model</b>				
OV-APPL-2136-L-?	OV-APPL-2136-R-?	21	36	\$1,139	\$2,038
OV-APPL-2142-L-?	OV-APPL-2142-R-?	21	42	\$1,160	\$2,075
OV-APPL-2148-L-?	OV-APPL-2148-R-?	21	48	\$1,183	\$2,115
OV-APPL-2154-L-?	OV-APPL-2154-R-?	21	54	\$1,205	\$2,155
OV-APPL-2160-L-?	OV-APPL-2160-R-?	21	60	\$1,228	\$2,196
OV-APPL-2166-L-?	OV-APPL-2166-R-?	21	66	\$1,249	\$2,236
OV-APPL-2172-L-?	OV-APPL-2172-R-?	21	72	\$1,272	\$2,276
OV-APPL-2178-L-?	OV-APPL-2178-R-?	21	78	\$1,315	\$2,352
OV-APPL-2184-L-?	OV-APPL-2184-R-?	21	84	\$1,338	\$2,394
OV-APPL-2190-L-?	OV-APPL-2190-R-?	21	90	\$1,361	\$2,436
OV-APPL-2196-L-?	OV-APPL-2196-R-?	21	96	\$1,386	\$2,478
<b>36" Deep</b>					
<b>Left Model</b>	<b>Right Model</b>				
OV-APPL-2736-L-?	OV-APPL-2736-R-?	27	36	\$1,160	\$2,075
OV-APPL-2742-L-?	OV-APPL-2742-R-?	27	42	\$1,183	\$2,115
OV-APPL-2748-L-?	OV-APPL-2748-R-?	27	48	\$1,205	\$2,155
OV-APPL-2754-L-?	OV-APPL-2754-R-?	27	54	\$1,228	\$2,196
OV-APPL-2760-L-?	OV-APPL-2760-R-?	27	60	\$1,249	\$2,236
OV-APPL-2766-L-?	OV-APPL-2766-R-?	27	66	\$1,272	\$2,276
OV-APPL-2772-L-?	OV-APPL-2772-R-?	27	72	\$1,294	\$2,315
OV-APPL-2778-L-?	OV-APPL-2778-R-?	27	78	\$1,338	\$2,393
OV-APPL-2784-L-?	OV-APPL-2784-R-?	27	84	\$1,360	\$2,435
OV-APPL-2790-L-?	OV-APPL-2790-R-?	27	90	\$1,384	\$2,477
OV-APPL-2796-L-?	OV-APPL-2796-R-?	27	96	\$1,407	\$2,518

- TFL and HPL accent panels are 3/4" thick material. Grain runs horizontal. Top panel is 9", lower panel is 12" tall.
- Ships installed.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

## Accent Panels on Stand-Offs



Model Number	Length	Height	TFL (T)	HPL (H)	Acrylic (A)
OV-ACPL-2812-?	12	28	\$1,116	\$1,878	\$2,265
OV-ACPL-2818-?	18	28	\$1,122	\$1,891	\$2,322
OV-ACPL-2824-?	24	28	\$1,130	\$1,902	\$2,380
OV-ACPL-2830-?	30	28	\$1,137	\$1,915	\$2,439
OV-ACPL-2836-?	36	28	\$1,145	\$1,926	\$2,497
OV-ACPL-2842-?	42	28	\$1,151	\$1,938	\$2,553
OV-ACPL-2848-?	48	28	\$1,228	\$2,067	\$2,612
OV-ACPL-2854-?	54	28	\$1,569	\$2,643	\$2,976
OV-ACPL-2860-?	60	28	\$1,577	\$2,656	\$3,033
OV-ACPL-2866-?	66	28	\$1,585	\$2,670	\$3,096
OV-ACPL-2872-?	72	28	\$1,592	\$2,683	\$3,153
OV-ACPL-2878-?	78	28	\$1,600	\$2,696	\$3,211
OV-ACPL-2884-?	84	28	\$1,608	\$2,710	\$3,269
OV-ACPL-2890-?	90	28	\$1,922	\$3,238	\$3,632
OV-ACPL-2896-?	96	28	\$1,930	\$3,253	\$3,691

- Acrylic is 3/16" thick frosted acrylic material.
- Ships with metal stand-off supports to be field installed.
- TFL and HPL accent panels are 3/4" thick material. Grain runs horizontal.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

## Angled Laminate Accent Panels



Model Number	Length	Height	TFL (T)	HPL (H)
<b>Desk Height</b>				
OV-APFH-2936-?	36-18	29	\$379	\$641
OV-APFH-2942-?	42-24	29	\$449	\$772
OV-APFH-2948-?	48-30	29	\$518	\$903
OV-APFH-2954-?	54-36	29	\$520	\$905
OV-APFH-2960-?	60-42	29	\$522	\$907
OV-APFH-2966-?	66-48	29	\$524	\$911
OV-APFH-2972-?	72-54	29	\$525	\$913
<b>Transaction Height</b>				
OV-APFH-4036-?	36-18	40	\$473	\$747
OV-APFH-4042-?	42-24	40	\$497	\$827
OV-APFH-4048-?	48-30	40	\$520	\$905
OV-APFH-4054-?	54-36	40	\$523	\$910
OV-APFH-4060-?	60-42	40	\$525	\$913
OV-APFH-4066-?	66-48	40	\$527	\$915
OV-APFH-4072-?	72-54	40	\$529	\$916

- TFL and HPL accent panels are 1 1/8" thick material. Grain runs horizontal.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

**Box/Box/File Surface Supporting Pedestal**

Model Number	Width	Depth	Height	Price
SS-PDBF-1816	16	18	28	\$1,124
SS-PDBF-2216	16	22	28	\$1,164

- Pedestal is finished on all sides and can easily be moved in the field.
- Lock included.

**File/File Surface Supporting Pedestal**

Model Number	Width	Depth	Height	Price
SS-PDFF-1816	16	18	28	\$1,124
SS-PDFF-2216	16	22	28	\$1,164

- Pedestal is finished on all sides and can easily be moved in the field.
- Lock included.

**Box/Box/Box/Box Surface Supporting Pedestal**

Model Number	Width	Depth	Height	Price
SS-PD4B-1816	16	18	28	\$1,331
SS-PD4B-2216	16	22	28	\$1,373

- Pedestal is finished on all sides and can easily be moved in the field.
- Lock included.

**Shelf/Box/File Surface Supporting Pedestal**

Model Number	Width	Depth	Height	Price
SS-PDSF-1816	16	18	28	\$1,184
SS-PDSF-2216	16	22	28	\$1,226

- Pedestal is finished on all sides and can easily be moved in the field.
- Lock included.

**Bookshelf Pedestal**


Model Number	Width	Depth	Height	Price
SS-PDBS-1536	36	15	28	\$763

- Pedestal is finished on all sides and can easily be moved in the field.

**Lateral File Surface Supporting Pedestal**

Model Number	Width	Depth	Height	Price
SS-PDLF-1832	32	18	28	\$1,422
SS-PDLF-1836	36	18	28	\$1,437
SS-PDLF-2232	32	22	28	\$1,477
SS-PDLF-2236	36	22	28	\$1,488

- Pedestal is finished on all sides and can easily be moved in the field.  
- Lock included.

**File Center Surface Supporting Pedestal**


Model Number	Width	Depth	Height	Price
SS-PDFC-1832	32	18	28	\$1,634
SS-PDFC-2232	32	22	28	\$1,644

- Pedestal is finished on all sides and can easily be moved in the field.  
- Box drawers do not lock. Box drawers are always placed on the left of pedestal. File drawers lock.

**Storage Cabinet Surface Supporting Pedestal**


Model Number	Width	Depth	Height	Price
SS-PDSC-1832	32	18	28	\$1,269
SS-PDSC-1836	36	18	28	\$1,282
SS-PDSC-2232	32	22	28	\$1,322
SS-PDSC-2236	36	22	28	\$1,333

- Pedestal is finished on all sides and can easily be moved in the field.  
- Single shelf included. For extra shelf -- use OP-SHLF-2 for \$194.  
- Hinges open to 90 degrees only. Lock optional.  
- For lock, add OP-LOCK-ADD for \$133.

**Straight Riser for Desk**

Model Number	Depth	Width	Height	
SS-RISR-1248-??	12	48	14	\$555
SS-RISR-1260-??	12	60	14	\$720
SS-RISR-1266-??	12	66	14	\$874
SS-RISR-1272-??	12	72	14	\$926
SS-RISR-1278-??	12	78	14	\$1,088

- NOTE: Actual width varies by series to allow for wood moldings on desk or credenza.
- You must order riser in same series as desk, credenza or return on which it will be sitting.
- Riser should be at least 6" shorter than the surface it sits on.


**Return Riser**

Right Model Shown

Model Number		Depth	Width	Height	
Left Model	Right Model				
SS-RRSR-1236-L-??	SS-RRSR-1236-R-??	12	36	14	\$484
SS-RRSR-1242-L-??	SS-RRSR-1242-R-??	12	42	14	\$495
SS-RRSR-1248-L-??	SS-RRSR-1248-R-??	12	48	14	\$515
SS-RRSR-1260-L-??	SS-RRSR-1260-R-??	12	60	14	\$700
SS-RRSR-1272-L-??	SS-RRSR-1272-R-??	12	72	14	\$907
SS-RRSR-1278-L-??	SS-RRSR-1278-R-??	12	78	14	\$1,070

- NOTE: Actual width varies by series to allow for wood moldings on desk or credenza.
- You must order riser in same series as desk, credenza or return on which it will be sitting.
- Riser should be at least 6" shorter than the surface it sits on.

One-Piece Top Corner Riser



Model Number		Depth	Width	Height	
Left Model	Right Model				
SS-RSRC-7230-L-??	SS-RSRC-7230-R-??	12-30	72	14	\$1,234
SS-RSRC-7236-L-??	SS-RSRC-7236-R-??	12-36	72	14	\$1,315

- Surface depth is 12" with no overhang on approach side.
- NOTE: Actual width varies by series to allow for wood moldings on desk or credenza.
- You must order riser in same series as desk, credenza or return on which it will be sitting.
- Riser should be at least 6" shorter than the surface it sits on




# Height Adjustable Overture

## Configurations

Height adjustability can be incorporated into an Overture Reception Desk in multiple ways. Below are some examples.


**Desk Height Height Adjustable Shell**




**Transaction Height Height Adjustable Shell**




**3- Leg Height Adjustable Desk**




**Height Adjustable Bridge**



**Height Adjustable Desk w/ Fixed Bridge**




**Height Adjustable Desk with Shroud**



## Height Adjustable Overture Desk Height Series

All 1-1/8" Material




### Features

- All 1-1/8" thick material.
- TFL or HPL with 2mm PVC edges in DeskMakers standard colors.
- Free-standing desk shell unit, work surface to be specified separately. See Pg. 61.
- Can be used with any DeskMakers Height Adjustable Base. See Pg 62-72.
- Grommets or small electrical units can be installed on front shelf portion or main worksurface. See electrical pricer for details.

### Desk Shell

- 30" and 36" depths.
- Lengths 60" to 84" in 6" increments.
- Front shelf surface is 29-1/8" high. Levelers add 1/2" to the height.

### Return Shell



### Bridge



### Fixed Return Shell



### Fixed Bridge




- 24" deep.
- Lengths 37" - 85" in 6" increments.
- Top to be specified separately.

- 24" or 30" deep.
- Lengths 38" - 86" in 6" increments.
- Top to be specified separately.

- 19" and 24" depths.
- Lengths 36" - 72" in 6" increments.
- No storage pedestals on 19" deep.


- 19" and 24" depths.
- Lengths 36" to 72" - 6" increments.
- No storage pedestals on 19" deep.




### Grain Direction

- Grain Direction runs horizontal.


### Desk Shell



### Return




### Bridge



### Height Adjustable Overture Transaction Height Series

1-7/8" Thick Wall Panels, 1-1/8" Thick Worksurface




#### Features

- 1-7/8" thick front panel and side panels.
- TFL or HPL with 2mm PVC edges in DeskMakers standard colors.
- Free-standing desk shell unit, work surface to be specified separately. See Pg. 61.
- Can be used with any DeskMakers Height Adjustable Base. See Pg 62-72.
- Grommets or small electrical units can be installed on ledge portion or main worksurface. See electrical pricer for details.

#### Desk Shell


- 32" and 38" depths.
- Lengths 60" to 90" in 6" increments.
- Front and side panels are 40" high. Levelers add 1/2" to the height.

#### Return Shell



- 24" deep.
- Lengths 39" - 87" in 6" increments.
- Top to be specified separately.

#### Bridge Shell



- 24" or 30" deep.
- Lengths 38" - 86" in 6" increments.
- Top to be specified separately.

#### Fixed Return




- 19" and 24" depths.
- Lengths 39" - 75" in 6" increments.
- No storage pedestals on 19" deep.

#### Fixed Bridge




- 19" and 24" depths.
- Lengths 37" to 73" - 6" increments.
- No storage pedestals on 19" deep.




#### Grain Direction

- Grain Direction runs horizontal.


#### Desk Shell



#### Return




#### Bridge




**Full Height Transaction Counter**


For use with Desk Height Height Adjustable Desk Shells

**Features**


- 12" deep, 6" overlaps worksurface.
- 41" high, 12" above worksurface.
- TFL has 2mm PVC edges in DeskMakers standard colors. HPL has self edge.
- Can add glass transaction counter on top.
- Not available with 1-7/8" thick worksurfaces or transaction height desks.
- TFL version is all 3/4" thick material, with visible seams.
- HPL version has 1-1/8" thick top and sides.
- Unit has adjustable glides for leveling where it rests on the floor. It is not self-supporting, cannot be used as freestanding furniture.

**Placement**

Right Placement







Center Placement



Left Placement


**Grain Direction**

- Grain Direction runs horizontal.
- Grain direction on two piece L-Shape counters will not line up.

**HPL****TFL**


## Other Counters & Accessories

---




### Shroud Transaction Counter

- The Overture Shroud Transaction Counter can also be paired with the Height Adjustable Desk Height Desk Shell.
- See Page 13 for Product Details and Page 37 for Pricing.



### Laminate Transaction Counter

- The Overture Laminate Transaction Counter can also be paired with the Height Adjustable Transaction Height Desk Shell.
- When installed on center, counter will not conflict with raised worksurface.
- See Page 32 for Pricing.



### Decorative Accent Panels

- Decorative Accent Panels can also be applied to the Height Adjustable Transaction Height Desk Shells
- See Page 38-39 for Pricing.

**Desk Shell Desk Height**

All 1-1/8" Thick Material



Model Number	Depth	Length	Height	Top	TFL (T)	HPL (H)
<b>30" Deep</b>				(specified separately)		
OV-ASD1-3060-?	30	60	29	23x60	\$998	\$2,290
OV-ASD1-3066-?	30	66	29	23x66	\$1,005	\$2,296
OV-ASD1-3072-?	30	72	29	23x72	\$1,010	\$2,303
OV-ASD1-3078-?	30	78	29	23x78	\$1,021	\$2,314
OV-ASD1-3084-?	30	84	29	23x84	\$1,028	\$2,321
<b>36" Deep</b>						
OV-ASD1-3660-?	36	60	29	29x60	\$1,002	\$2,294
OV-ASD1-3666-?	36	66	29	29x66	\$1,009	\$2,301
OV-ASD1-3672-?	36	72	29	29x72	\$1,014	\$2,307
OV-ASD1-3678-?	36	78	29	29x78	\$1,025	\$2,318
OV-ASD1-3684-?	36	84	29	29x84	\$1,032	\$2,325

- All 1-1/8" thick material with horizontal grain.

- Includes adjustable glides.


- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

- To be completed with a worktop and height adjustable base. See page 61 for worktops, and pages 68-72 for base options.

- Can be paired with Overture Full Height Stack-On (Pg 55) or Shroud Transaction Counter (Pg 37).

**Return Shell Desk Height**

All 1-1/8" Thick Material



Left Model Shown

Model Number		Depth	Length	Height	Top (specified separately)	TFL (T)	HPL (H)
<b>24" Deep</b>							
<b>Left Model</b>	<b>Right Model</b>						
OV-ARD1-2436-L-?	OV-ARD1-2436-R-?	24	37	28	24x36	\$553	\$1,199
OV-ARD1-2442-L-?	OV-ARD1-2442-R-?	24	43	28	24x42	\$557	\$1,203
OV-ARD1-2448-L-?	OV-ARD1-2448-R-?	24	49	28	24x48	\$562	\$1,209
OV-ARD1-2454-L-?	OV-ARD1-2454-R-?	24	55	28	24x54	\$567	\$1,213
OV-ARD1-2460-L-?	OV-ARD1-2460-R-?	24	61	28	24x60	\$571	\$1,218
OV-ARD1-2466-L-?	OV-ARD1-2466-R-?	24	67	28	24x66	\$577	\$1,223
OV-ARD1-2472-L-?	OV-ARD1-2472-R-?	24	73	28	24x72	\$881	\$2,174
OV-ARD1-2478-L-?	OV-ARD1-2478-R-?	24	79	28	24x78	\$886	\$2,179
OV-ARD1-2484-L-?	OV-ARD1-2484-R-?	24	85	28	24x84	\$890	\$2,183
<b>30" Deep</b>							
<b>Left Model</b>	<b>Right Model</b>						
OV-ARD1-3036-L-?	OV-ARD1-3036-R-?	30	37	28	30x36	\$555	\$1,201
OV-ARD1-3042-L-?	OV-ARD1-3042-R-?	30	43	28	30x42	\$559	\$1,206
OV-ARD1-3048-L-?	OV-ARD1-3048-R-?	30	49	28	30x48	\$565	\$1,211
OV-ARD1-3054-L-?	OV-ARD1-3054-R-?	30	55	28	30x54	\$569	\$1,215
OV-ARD1-3060-L-?	OV-ARD1-3060-R-?	30	61	28	30x60	\$573	\$1,220
OV-ARD1-3066-L-?	OV-ARD1-3066-R-?	30	67	28	30x66	\$879	\$2,172
OV-ARD1-3072-L-?	OV-ARD1-3072-R-?	30	73	28	30x72	\$883	\$2,176
OV-ARD1-3078-L-?	OV-ARD1-3078-R-?	30	79	28	30x78	\$888	\$2,181
OV-ARD1-3084-L-?	OV-ARD1-3084-R-?	30	85	28	30x84	\$892	\$2,185

- All 1-1/8" thick material with horizontal grain.

- Includes adjustable glides.

- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

- Includes brackets for attaching to desk shell. Cannot be used independently.

- To be completed with a worktop and height adjustable base. See page 61 for worktops, and pages 68-72 for base options.

- 36" Return for use with 3-Leg base only. Returns over 60" to be used as independent height adjustable worksurfaces only.

**Fixed Return Desk Height**

All 1-1/8" Thick Material




Left Model Shown

Model Number		Depth	Length	Height	Top	TFL (T)	HPL (H)
<b>19" Deep</b>							
<b>Left Model</b>	<b>Right Model</b>						
OV-FRD1-1936-L-?	OV-FRD1-1936-R-?	19	37	29	19x36	\$586	\$1,233
OV-FRD1-1942-L-?	OV-FRD1-1942-R-?	19	43	29	19x42	\$591	\$1,237
OV-FRD1-1948-L-?	OV-FRD1-1948-R-?	19	49	29	19x48	\$895	\$2,188
OV-FRD1-1954-L-?	OV-FRD1-1954-R-?	19	55	29	19x54	\$902	\$2,195
OV-FRD1-1960-L-?	OV-FRD1-1960-R-?	19	61	29	19x60	\$906	\$2,199
OV-FRD1-1966-L-?	OV-FRD1-1966-R-?	19	67	29	19x66	\$911	\$2,204
OV-FRD1-1972-L-?	OV-FRD1-1972-R-?	19	73	29	19x72	\$918	\$2,210
<b>24" Deep</b>							
<b>Left Model</b>	<b>Right Model</b>						
OV-FRD1-2436-L-?	OV-FRD1-2436-R-?	24	37	29	24x36	\$591	\$1,236
OV-FRD1-2442-L-?	OV-FRD1-2442-R-?	24	43	29	24x42	\$894	\$2,187
OV-FRD1-2448-L-?	OV-FRD1-2448-R-?	24	49	29	24x48	\$899	\$2,192
OV-FRD1-2454-L-?	OV-FRD1-2454-R-?	24	55	29	24x54	\$906	\$2,198
OV-FRD1-2460-L-?	OV-FRD1-2460-R-?	24	61	29	24x60	\$911	\$2,203
OV-FRD1-2466-L-?	OV-FRD1-2466-R-?	24	67	29	24x66	\$915	\$2,208
OV-FRD1-2472-L-?	OV-FRD1-2472-R-?	24	73	29	24x72	\$922	\$2,215

- All 1-1/8" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Modesty extends 1" past worktop to allow return to connect to height adjustable shell and maintain gap for moving worksurface.
- Half leg support on side abutting height adjustable desk.
- Storage peds cannot be used under 19" deep returns.

**Bridge Shell Desk Height**

All 1-1/8" Thick Material



Model Number	Depth	Length	Height	Top (specified separately)	TFL (T)	HPL (H)
OV-ABD1-0638-?	6	38	28	24x36	\$533	\$1,178
OV-ABD1-0644-?	6	44	28	24x42 or 30x42	\$536	\$1,183
OV-ABD1-0650-?	6	50	28	24x48 or 30x48	\$541	\$1,187
OV-ABD1-0656-?	6	56	28	24x54 or 30x54	\$545	\$1,191
OV-ABD1-0662-?	6	62	28	24x60 or 30x60	\$549	\$1,196
OV-ABD1-0668-?	6	68	28	24x66 or 30x66	\$554	\$1,200
OV-ABD1-0674-?	6	74	28	24x72 or 30x72	\$560	\$1,207
OV-ABD1-0680-?	6	80	28	24x78 or 30x78	\$565	\$1,211
OV-ABD1-0686-?	6	86	28	24x84 or 30x84	\$868	\$2,161

- All 1-1/8" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk/credenza shells. Cannot be used independently.
- To be completed with a worktop and height adjustable base. See page 61 for worktops, and pages 68-72 for base options.
- Bridges are sized 2" larger than the worktop to be used to allow for 1" clearance on either side of the moving top.
- 36" Bridge for use with 3-Leg base only. Bridges over 60" to be used as independent height adjustable worksurfaces only.

**Fixed Bridge Desk Height**

All 1-1/8" Thick Material



Left Model Shown

Model Number		Depth	Length	Height	Top	TFL (T)	HPL (H)
<b>19" Deep</b>							
<b>Left Model</b>	<b>Right Model</b>						
OV-FBD1-1936-L-?	OV-FBD1-1936-R-?	19	37	29	19x36	\$568	\$1,214
OV-FBD1-1942-L-?	OV-FBD1-1942-R-?	19	43	29	19x42	\$572	\$1,219
OV-FBD1-1948-L-?	OV-FBD1-1948-R-?	19	49	29	19x48	\$579	\$1,225
OV-FBD1-1954-L-?	OV-FBD1-1954-R-?	19	55	29	19x54	\$583	\$1,230
OV-FBD1-1960-L-?	OV-FBD1-1960-R-?	19	61	29	19x60	\$888	\$2,181
OV-FBD1-1966-L-?	OV-FBD1-1966-R-?	19	67	29	19x66	\$892	\$2,185
OV-FBD1-1972-L-?	OV-FBD1-1972-R-?	19	73	29	19x72	\$899	\$2,192
<b>24" Deep</b>							
OV-FRD1-2436-L-?	OV-FRD1-2436-R-?	24	37	29	24x36	\$591	\$1,236
OV-FRD1-2442-L-?	OV-FRD1-2442-R-?	24	43	29	24x42	\$894	\$2,187
OV-FRD1-2448-L-?	OV-FRD1-2448-R-?	24	49	29	24x48	\$899	\$2,192
OV-FRD1-2454-L-?	OV-FRD1-2454-R-?	24	55	29	24x54	\$906	\$2,198
OV-FRD1-2460-L-?	OV-FRD1-2460-R-?	24	61	29	24x60	\$911	\$2,203
OV-FRD1-2466-L-?	OV-FRD1-2466-R-?	24	67	29	24x66	\$915	\$2,208
OV-FRD1-2472-L-?	OV-FRD1-2472-R-?	24	73	29	24x72	\$922	\$2,215

- All 1-1/8" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk/credenza shell.
- Modesty extends 1" past worktop to allow bridge to connect to height adjustable shell and maintain gap for moving worksurface.
- Half leg support on side abutting height adjustable desk.
- Storage peds cannot be used under 19" deep bridges.

## Full Height Stack-on Counter



Model Number	Depth	Length	Height	TFL (T)	HPL (H)
OV-STFH-1230?	12	30	41	\$1,436	\$2,598
OV-STFH-1236?	12	36	41	\$1,550	\$2,951
OV-STFH-1242?	12	42	41	\$1,664	\$3,502
OV-STFH-1248?	12	48	41	\$1,781	\$4,228
OV-STFH-1254?	12	54	41	\$1,908	\$4,831
OV-STFH-1260?	12	60	41	\$2,013	\$5,652
OV-STFH-1266?	12	66	41	\$2,146	\$6,026
OV-STFH-1272?	12	72	41	\$2,211	\$6,400

- All 3/4" thick material with horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for TFL and self-edge for HPL.
- Installs on desk height shell in field. Can add glass topper on page 33.

**Desk Shell Transaction Height**

1-7/8" Thick Shell



Model Number	Depth	Length	Height	Top	TFL (T)	HPL (H)
<b>30" Deep</b>				(specified separately)		
OV-AST2-3260-?	32	60	40	23x54	\$2,033	\$4,354
OV-AST2-3266-?	32	66	40	23x60	\$2,041	\$4,361
OV-AST2-3272-?	32	72	40	23x66	\$2,049	\$4,369
OV-AST2-3278-?	32	78	40	23x72	\$2,673	\$5,831
OV-AST2-3284-?	32	84	40	23x78	\$2,681	\$5,839
OV-AST2-3290-?	32	90	40	23x84	\$2,689	\$5,847
<b>36" Deep</b>						
OV-AST2-3860-?	38	60	40	29x54	\$2,040	\$4,295
OV-AST2-3866-?	38	66	40	29x60	\$2,048	\$4,368
OV-AST2-3872-?	38	72	40	29x66	\$2,055	\$4,376
OV-AST2-3878-?	38	78	40	29x72	\$2,681	\$5,838
OV-AST2-3884-?	38	84	40	29x78	\$2,689	\$5,845
OV-AST2-3890-?	38	90	40	29x84	\$2,696	\$5,853

- 1-7/8" thick outer shell with horizontal grain. Internal stretchers are 1 1/8" thick.

- Includes adjustable glides.


- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

- To be completed with a worktop and height adjustable base. See page 61 for worktops, and pages 68-72 for base options.

- Can be paired with the Laminate Transaction Counter (Pg 32) and/or Accent Panels (Pg 38-39).

### Return Shell Transaction Height

1-7/8" Thick Shell



Left Model Shown

Model Number		Depth	Length	Height	Top	TFL (T)	HPL (H)
					(specified separately)		
<b>24" Deep</b>							
<b>Left Model</b>	<b>Right Model</b>						
OV-ART2-2639-L-?	OV-ART2-2639-R-?	26	39	40	24x36	\$1,207	\$2,690
OV-ART2-2645-L-?	OV-ART2-2645-R-?	26	45	40	24x42	\$1,212	\$2,695
OV-ART2-2651-L-?	OV-ART2-2651-R-?	26	51	40	24x48	\$1,832	\$4,153
OV-ART2-2657-L-?	OV-ART2-2657-R-?	26	57	40	24x54	\$1,839	\$4,159
OV-ART2-2663-L-?	OV-ART2-2663-R-?	26	63	40	24x60	\$1,844	\$4,165
OV-ART2-2669-L-?	OV-ART2-2669-R-?	26	69	40	24x66	\$1,850	\$4,170
OV-ART2-2675-L-?	OV-ART2-2675-R-?	26	75	40	24x72	\$1,906	\$4,226
OV-ART2-2681-L-?	OV-ART2-2681-R-?	26	81	40	24x78	\$1,911	\$4,232
OV-ART2-2687-L-?	OV-ART2-2687-R-?	26	87	40	24x84	\$1,916	\$4,237
<b>30" Deep</b>							
<b>Left Model</b>	<b>Right Model</b>						
OV-ART2-3239-L-?	OV-ART2-3239-R-?	32	39	40	30x36	\$1,210	\$2,693
OV-ART2-3245-L-?	OV-ART2-3245-R-?	32	45	40	30x42	\$1,830	\$4,151
OV-ART2-3251-L-?	OV-ART2-3251-R-?	32	51	40	30x48	\$1,836	\$4,156
OV-ART2-3257-L-?	OV-ART2-3257-R-?	32	57	40	30x54	\$1,842	\$4,163
OV-ART2-3263-L-?	OV-ART2-3263-R-?	32	63	40	30x60	\$1,848	\$4,168
OV-ART2-3269-L-?	OV-ART2-3269-R-?	32	69	40	30x66	\$1,853	\$4,174
OV-ART2-3275-L-?	OV-ART2-3275-R-?	32	75	40	30x72	\$1,909	\$4,229
OV-ART2-3281-L-?	OV-ART2-3281-R-?	32	81	40	30x78	\$1,914	\$4,235
OV-ART2-3287-L-?	OV-ART2-3287-R-?	32	87	40	30x84	\$1,920	\$4,240

- 1-7/8" thick material with horizontal grain. Stretcher Bar is 1 1/8" thick.

- Includes adjustable glides.

- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

- Includes brackets for attaching to desk shell. Cannot be used independently.

- To be completed with a worktop and height adjustable base. See page 61 for worktops, and pages 68-72 for base options.

- 36" Return for use with 3-Leg base only. Returns over 60" to be used as independent height adjustable worksurfaces only.

**Fixed Return Transaction Height**

1-7/8" Thick Shell



Left Model Shown

Model Number		Depth	Length	Height	Top	TFL (T)	HPL (H)
<b>19" Deep</b>							
<b>Left Model</b>	<b>Right Model</b>						
OV-FRT2-1939-L-?	OV-FRT2-1939-R-?	19	39	40	17x36	\$1,235	\$2,719
OV-FRT2-1945-L-?	OV-FRT2-1945-R-?	19	45	40	17x42	\$1,241	\$2,725
OV-FRT2-1951-L-?	OV-FRT2-1951-R-?	19	51	40	17x48	\$1,246	\$2,730
OV-FRT2-1957-L-?	OV-FRT2-1957-R-?	19	57	40	17x54	\$1,866	\$4,187
OV-FRT2-1963-L-?	OV-FRT2-1963-R-?	19	63	40	17x60	\$1,874	\$4,194
OV-FRT2-1969-L-?	OV-FRT2-1969-R-?	19	69	40	17x66	\$1,879	\$4,200
OV-FRT2-1975-L-?	OV-FRT2-1975-R-?	19	75	40	17x72	\$1,934	\$4,254
<b>24" Deep</b>							
<b>Left Model</b>	<b>Right Model</b>						
OV-FRT2-2439-L-?	OV-FRT2-2439-R-?	24	39	40	22x36	\$1,239	\$2,723
OV-FRT2-2445-L-?	OV-FRT2-2445-R-?	24	45	40	22x42	\$1,245	\$2,729
OV-FRT2-2451-L-?	OV-FRT2-2451-R-?	24	51	40	22x48	\$1,250	\$2,734
OV-FRT2-2457-L-?	OV-FRT2-2457-R-?	24	57	40	22x54	\$1,920	\$4,240
OV-FRT2-2463-L-?	OV-FRT2-2463-R-?	24	63	40	22x60	\$1,927	\$4,248
OV-FRT2-2469-L-?	OV-FRT2-2469-R-?	24	69	40	22x66	\$1,933	\$4,253
OV-FRT2-2475-L-?	OV-FRT2-2475-R-?	24	75	40	22x72	\$1,938	\$4,259

- 1-7/8" outer shell with 1 1/8" worktop and half leg. Horizontal grain.

- Includes adjustable glides.

- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

- Modesty extends 1" past worktop to allow return to connect to height adjustable shell and maintain gap for moving worksurface.

- Half leg support on side abutting height adjustable desk.

- Storage peds cannot be used under 19" deep returns.

**Bridge Shell Transaction Height**

1-7/8" Thick Shell



Model Number	Depth	Length	Height	Top (specified separately)	TFL (T)	HPL (H)
OV-ABT2-0638-?	6	38	40	24x36	\$1,164	\$2,648
OV-ABT2-0644-?	6	44	40	24x42 or 30x42	\$1,172	\$2,655
OV-ABT2-0650-?	6	50	40	24x48 or 30x48	\$1,177	\$2,660
OV-ABT2-0656-?	6	56	40	24x54 or 30x54	\$1,183	\$2,666
OV-ABT2-0662-?	6	62	40	24x60 or 30x60	\$1,188	\$2,671
OV-ABT2-0668-?	6	68	40	24x66 or 30x66	\$1,194	\$2,676
OV-ABT2-0674-?	6	74	40	24x72 or 30x72	\$1,815	\$4,135
OV-ABT2-0680-?	6	80	40	24x78 or 30x78	\$1,820	\$4,141
OV-ABT2-0686-?	6	86	40	24x84 or 30x84	\$1,825	\$4,145

- 1-7/8" thick modesty with 1 1/8" stretcher bar. Horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk/credenza shells. Cannot be used independently.
- To be completed with a worktop and height adjustable base. See page 61 for worktops, and pages 68-72 for base options.
- Bridges are sized 2" larger than the worktop to be used to allow for 1" clearance on either side of the moving top.
- 36" Bridge for use with 3-Leg base only. Bridges over 60" to be used as independent height adjustable worksurfaces only.

**Fixed Bridge Transaction Height**

1-7/8" Thick Shell




Left Model Shown

Model Number		Depth	Length	Height	Top	TFL (T)	HPL (H)
<b>19" Deep</b>							
<b>Left Model</b>	<b>Right Model</b>						
OV-FBT2-1937-L-?	OV-FBT2-1937-R-?	19	37	40	17x36	\$1,200	\$2,684
OV-FBT2-1943-L-?	OV-FBT2-1943-R-?	19	43	40	17x42	\$1,209	\$2,692
OV-FBT2-1949-L-?	OV-FBT2-1949-R-?	19	49	40	17x48	\$1,214	\$2,697
OV-FBT2-1955-L-?	OV-FBT2-1955-R-?	19	55	40	17x54	\$1,220	\$2,703
OV-FBT2-1961-L-?	OV-FBT2-1961-R-?	19	61	40	17x60	\$1,225	\$2,708
OV-FBT2-1967-L-?	OV-FBT2-1967-R-?	19	67	40	17x66	\$1,233	\$2,717
OV-FBT2-1973-L-?	OV-FBT2-1973-R-?	19	73	40	17x72	\$1,238	\$2,722
<b>24" Deep</b>							
<b>Left Model</b>	<b>Right Model</b>						
OV-FBT2-2437-L-?	OV-FBT2-2437-R-?	24	37	40	22x36	\$1,202	\$2,686
OV-FBT2-2443-L-?	OV-FBT2-2443-R-?	24	43	40	22x42	\$1,210	\$2,694
OV-FBT2-2449-L-?	OV-FBT2-2449-R-?	24	49	40	22x48	\$1,215	\$2,699
OV-FBT2-2455-L-?	OV-FBT2-2455-R-?	24	55	40	22x54	\$1,221	\$2,705
OV-FBT2-2461-L-?	OV-FBT2-2461-R-?	24	61	40	22x60	\$1,226	\$2,710
OV-FBT2-2467-L-?	OV-FBT2-2467-R-?	24	67	40	22x66	\$1,235	\$2,718
OV-FBT2-2473-L-?	OV-FBT2-2473-R-?	24	73	40	22x72	\$1,241	\$2,723

- 1-7/8" modesty panel with 1 1/8" worktop and half leg. Horizontal grain.
- Includes adjustable glides.
- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.
- Includes brackets for attaching to desk/credenza shell.
- Modesty extends 1" past worktop to allow bridge to connect to height adjustable shell and maintain gap for moving worksurface.
- Half leg support on side abutting height adjustable desk.
- Storage peds cannot be used under 19" deep bridges.

**Tops - Required for all "Shell" Units**

1-1/8" Thick



Model Number	Depth	Length	T1	T2	H1
<b>Overture Desk Shell Exclusive Sizes</b>					
<b>23" Deep for 30" Desks</b>					
OV-WS01-2354-??-??	23	54	\$383	\$422	\$648
OV-WS01-2360-??-??	23	60	\$387	\$425	\$650
OV-WS01-2366-??-??	23	66	\$389	\$428	\$653
OV-WS01-2372-??-??	23	72	\$392	\$431	\$654
OV-WS01-2378-??-??	23	78	\$480	\$529	\$828
OV-WS01-2384-??-??	23	84	\$484	\$532	\$831
<b>29" Deep for 36" Desks</b>					
OV-WS01-2954-??-??	29	54	\$520	\$572	\$904
OV-WS01-2960-??-??	29	60	\$522	\$574	\$907
OV-WS01-2966-??-??	29	66	\$523	\$575	\$910
OV-WS01-2972-??-??	29	72	\$525	\$578	\$913
OV-WS01-2978-??-??	29	78	\$662	\$728	\$1,172
OV-WS01-2984-??-??	29	84	\$664	\$730	\$1,174
<b>Tops for Returns and Bridges</b>					
<b>24" Deep</b>					
TP-RECT-2436-??-??	24	36	\$287	\$316	\$468
TP-RECT-2442-??-??	24	42	\$290	\$319	\$471
TP-RECT-2448-??-??	24	48	\$382	\$420	\$644
TP-RECT-2454-??-??	24	54	\$383	\$422	\$647
TP-RECT-2460-??-??	24	60	\$386	\$425	\$650
TP-RECT-2466-??-??	24	66	\$389	\$428	\$653
TP-RECT-2472-??-??	24	72	\$392	\$431	\$655
TP-RECT-2478-??-??	24	78	\$481	\$529	\$828
TP-RECT-2484-??-??	24	84	\$484	\$532	\$831
<b>30" Deep</b>					
TP-RECT-3036-??-??	30	36	\$379	\$417	\$641
TP-RECT-3042-??-??	30	42	\$382	\$420	\$644
TP-RECT-3048-??-??	30	48	\$517	\$569	\$903
TP-RECT-3054-??-??	30	54	\$520	\$572	\$904
TP-RECT-3060-??-??	30	60	\$521	\$574	\$907
TP-RECT-3066-??-??	30	66	\$523	\$575	\$910
TP-RECT-3072-??-??	30	72	\$526	\$578	\$913
TP-RECT-3078-??-??	30	78	\$662	\$729	\$1,171
TP-RECT-3084-??-??	30	84	\$664	\$730	\$1,174

- All 1-1/8" thick material with horizontal grain.

- Edges are DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

## Hanging Modesty Panels



Model Number	Length	Height	TFL (T)	HPL (H)
TX-LMOD-1830-?	30	18	\$264	\$444
TX-LMOD-1832-?	32	18	\$271	\$457
TX-LMOD-1834-?	34	18	\$274	\$463
TX-LMOD-1836-?	36	18	\$281	\$474
TX-LMOD-1838-?	38	18	\$287	\$484
TX-LMOD-1840-?	40	18	\$290	\$489
TX-LMOD-1842-?	42	18	\$296	\$498
TX-LMOD-1844-?	44	18	\$300	\$504
TX-LMOD-1846-?	46	18	\$306	\$515
TX-LMOD-1848-?	48	18	\$312	\$526
TX-LMOD-1850-?	50	18	\$315	\$531
TX-LMOD-1852-?	52	18	\$327	\$551
TX-LMOD-1854-?	54	18	\$333	\$560
TX-LMOD-1856-?	56	18	\$340	\$571
TX-LMOD-1858-?	58	18	\$347	\$585
TX-LMOD-1860-?	60	18	\$356	\$600
TX-LMOD-1862-?	62	18	\$365	\$614
TX-LMOD-1864-?	64	18	\$378	\$636
TX-LMOD-1866-?	66	18	\$385	\$649
TX-LMOD-1868-?	68	18	\$390	\$657
TX-LMOD-1870-?	70	18	\$407	\$685
TX-LMOD-1872-?	72	18	\$415	\$699
TX-LMOD-1874-?	74	18	\$425	\$716
TX-LMOD-1876-?	76	18	\$441	\$744
TX-LMOD-1878-?	78	18	\$460	\$774
TX-LMOD-1880-?	80	18	\$494	\$830
TX-LMOD-1882-?	82	18	\$510	\$858
TX-LMOD-1884-?	84	18	\$526	\$886

- 3/4" thick material. Horizontal grain with DeskMakers standard 2MM PVC edgebanding for both TFL and HPL finishes.

- Includes L- brackets to attach to worksurface, 2-4 depending on length

- A modesty that is at least 2" shorter than the worksurface is recommended to avoid conflict as the desk moves.

- Modesty should be inset at least 1" from front of worksurface. Install after worksurface is attached to height adjustable base for best results.






# height adjustable base finishes







## Hover Lift Bases

---

### standard



### premium - 10% upcharge (OP-COLOR)




## Hover Reach Bases

standard



premium - 10% upcharge (OP-COLOR)





## Hover Boost Bases

standard



premium - 10% upcharge (OP-COLOR)



## Hover Lift Height Adjustable Bases




### Features

Number of Legs	2 or 3
Height Range w/ Worksurface	27" - 46"
Number of Stages	2
Worksurface Lengths	48" - 84" in 6" increments
Worksurface Depths	24", 30" & 36"
Lifting Capacity	250 lbs (includes worksurface)
Adjustment Speed	1.5"/second
Cord Length	118" long
Finishes	4 standard, 8 at upcharge
Frame	Size Specific
Column Shape	Square
Safety	Anti-Collision Option


### Foot Length

A 60" long worksurface is shown in examples below. The base will 9" shorter than the top, with a 4 ½" inset on each side when centered.


#### 24" Deep Worksurface




#### 30" Deep Worksurface



#### 36" Deep Worksurface



\* 29" foot may also be specified for 30" worksurfaces.



### Standard Up/Down Control



- Standard on Hover Lift bases
- Simple Up/Down function
- After 2 minutes defaults control box to standby mode

### Programmable Digital Control



- Add-on option for Hover Lift bases : AC-CNTL-DIGI for \$261
- Save 4 different positions
- LCD display
- Set in centimeters or inches
- After 2 minutes defaults control box to standby mode


### Locking Casters

The Hover Lift height adjustable bases are available with optional locking casters. Casters increase the overall table height by 2".



### External Safety Sensor

An External Safety Sensor is able to detect even the smallest deformation. When a collision or restriction of movement is detected, the External Safety Sensor triggers the motors to move in the opposite direction to release the pinched obstacle. The External Safety Sensor can be added to the Hover Lift bases after installation. AC-DRBK-OMT for \$349.



All Hover electric height adjustable bases are equipped with Intelligent System Protection (ISP). ISP is used to protect base motors, control boxes and internal components from damage resulting from collision or restriction of movement. The ISP is not intended for protection of the end user, and is less sensitive than the External Safety Sensor.


## Hover Reach Height Adjustable Bases




### Features

Number of Legs	2 or 3
Height Range w/ Worksurface	22.75" - 49"
Number of Stages	3
Worksurface Lengths	42" - 72" (Up to 84" w/ ext. kit)
Worksurface Depths	24", 30" & 36"
Lifting Capacity	220 lbs (includes worksurface)
Adjustment Speed	1.4"/second
Cord Length	72" long
Finishes	Silver
Frame	Adjustable
Column Shape	Square
Safety	Anti-Collision Built-in

### Foot Length



50" Maximum Height



### Quick Install Legs

- Ships in 1 box
- No tools required for assembly.



### Programmable Digital Control



- Save 3 different positions
- LCD display
- Set in centimeters or inches
- Power standby mode
- Standard with Hover Reach


### Hover Boost Height Adjustable Bases



#### Features

Number of Legs	2
Height Range w/ Worksurface	27.75" - 47.4"
Number of Stages	2
Worksurface Lengths	42" - 72" (Up to 84" w/ ext. kit)
Worksurface Depths	24", 30" & 36"
Lifting Capacity	200 lbs (includes worksurface)
Adjustment Speed	1.42"/second
Cord Length	72" long
Finishes	Black, White, Silver
Frame	Adjustable
Column Shape	Square
Safety	Anti-Collision Built-in

#### Foot Length



45" Maximum Height



#### Quick Install Legs

- Ships in 1 box
- No tools required for assembly.

27-5/8" Minimum Height  
25-3/16" Minimum  
Clearance  
(with levelers fully  
recessed)




#### Programmable Digital Control



- Save 3 different positions
- LCD display
- Set in centimeters or inches
- Power standby mode
- Standard with Hover Boost

**Hover Lift Height Adjustable Bases**

Electric - 2 Leg



Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
<b>For 24" and 30" Deep Worksurfaces</b>				
HV-AE23-2448-??	23	24/30	48	\$2,787
HV-AE23-2454-??	23	24/30	54	\$2,803
HV-AE23-2460-??	23	24/30	60	\$2,808
HV-AE23-2466-??	23	24/30	66	\$2,826
HV-AE23-2472-??	23	24/30	72	\$2,838
HV-AE23-2478-??	23	24/30	78	\$2,853
HV-AE23-2484-??	23	24/30	84	\$2,947
<b>For 30" and 36" Deep Worksurfaces</b>				
HV-AE29-3648-??	29	30/36	48	\$2,829
HV-AE29-3654-??	29	30/36	54	\$2,846
HV-AE29-3660-??	29	30/36	60	\$2,850
HV-AE29-3666-??	29	30/36	66	\$2,869
HV-AE29-3672-??	29	30/36	72	\$2,881
HV-AE29-3678-??	29	30/36	78	\$2,896
HV-AE29-3684-??	29	30/36	84	\$2,990

- Please specify base finish when ordering. Premium colors available with 10% increase, OP-COLOR. See page 6 for finish options.

- Tops specified separately.

- Bases ship unassembled.

- Includes adjustable glides. 2" high Casters available, add OP-CAST-OMT-A for \$148 (set of 4).

- Programmable digital control available, add AC-CNTL-DIGI for \$261.

- External safety sensor available, add AC-DRBK-OMT for \$349.

**Hover Lift Height Adjustable Bases**

Electric - 3 Leg - 120 Degree



Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
<b>For 24" Deep Worksurfaces</b>				
HV-AE12-4242-23-??	23	42	42	\$3,950
HV-AE12-4848-23-??	23	48	48	\$4,013
HV-AE12-5454-23-??	23	54	54	\$4,153
<b>For 30" Deep Worksurfaces</b>				
HV-AE12-4242-29-??	29	42	42	\$3,992
HV-AE12-4848-29-??	29	48	48	\$4,056
HV-AE12-5454-29-??	29	54	54	\$4,195

- Please specify base finish when ordering. Premium colors available with 10% increase, OP-COLOR. See page 6 for finish options.
- Tops specified separately.
- Bases ship unassembled.
- Programmable digital control available, add AC-CNTL-DIGI for \$261.
- External safety sensor available, add AC-DRBK-OMT for \$349.

**Hover Lift Height Adjustable Bases**

Electric - 3 Leg - 90 Degree Symmetrical



Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
<b>For 24" Deep Worksurfaces</b>				
HV-AE90-4848-23-??	23	48	48	\$4,150
HV-AE90-5454-23-??	23	54	54	\$4,213
HV-AE90-6060-23-??	23	60	60	\$4,353
<b>For 30" Deep Worksurfaces</b>				
HV-AE90-4848-29-??	29	48	48	\$4,146
HV-AE90-5454-29-??	29	54	54	\$4,192
HV-AE90-6060-29-??	29	60	60	\$4,256

- Please specify base finish when ordering. Premium colors available with 10% increase, OP-COLOR. See page 6 for finish options.
- Tops specified separately.
- Bases ship unassembled.
- Programmable digital control available, add AC-CNTL-DIGI for \$261.
- External safety sensor available, add AC-DRBK-OMT for \$349.

**Hover Lift Height Adjustable Bases**

Electric - 3 Leg - 90 Degree



Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
<b>For 24" Deep Return Connection and 24" Deep Workspace</b>				
HV-AE90-4266-23-??	23	42	66	\$4,193
HV-AE90-4272-23-??	23	42	72	\$4,198
HV-AE90-4278-23-??	23	42	78	\$4,216
HV-AE90-4866-23-??	23	48	66	\$4,216
HV-AE90-4872-23-??	23	48	72	\$4,221
HV-AE90-4878-23-??	23	48	78	\$4,239
HV-AE90-5466-23-??	23	54	66	\$4,248
HV-AE90-5472-23-??	23	54	72	\$4,252
HV-AE90-5478-23-??	23	54	78	\$4,271
HV-AE90-6066-23-??	23	60	66	\$4,318
HV-AE90-6072-23-??	23	60	72	\$4,322
HV-AE90-6078-23-??	23	60	78	\$4,341
<b>For 24" Deep Return Connection and 30" Deep Workspace</b>				
HV-AE90-4266-29-??	23/29	42	66	\$4,219
HV-AE90-4272-29-??	23/29	42	72	\$4,236
HV-AE90-4278-29-??	23/29	42	78	\$4,240
HV-AE90-4866-29-??	23/29	48	66	\$4,219
HV-AE90-4872-29-??	23/29	48	72	\$4,236
HV-AE90-4878-29-??	23/29	48	78	\$4,240
HV-AE90-5466-29-??	23/29	54	66	\$4,242
HV-AE90-5472-29-??	23/29	54	72	\$4,259
HV-AE90-5478-29-??	23/29	54	78	\$4,263
HV-AE90-6066-29-??	23/29	60	66	\$4,274
HV-AE90-6072-29-??	23/29	60	72	\$4,290
HV-AE90-6078-29-??	23/29	60	78	\$4,295

- Please specify base finish when ordering. Premium colors available with 10% increase, OP-COLOR. See page 6 for finish options.
- Tops specified separately.
- Bases ship unassembled.
- Programmable digital control available, add AC-CNTL-DIGI for \$261.
- External safety sensor available, add AC-DRBK-OMT for \$349.

**Hover Reach Height Adjustable Bases - 2 Leg for Rectangular Worksurfaces**

Electric - 3 Stage



Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
<b>For 24" and 30" Deep Worksurfaces</b>				
ML-3STG-2472-SV	23	24/30	48/72	\$1,162
<b>For 30" and 36" Deep Worksurfaces</b>				
ML-3STG-3072-SV	29	30/36	48/72	\$1,197

- Silver finish standard.
- Tops specified separately. Bases ship unassembled with tool-free quick-install components.
- Includes adjustable steel frame, adjustable glides and programmable digital control.
- Base can accommodate tops up to 84" with the addition of ML-2LEG-EXKT for \$365

**Hover Reach Height Adjustable Bases - 3 Leg for 120 or 90 Degree Worksurfaces**

Electric - 3 Stage



Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
<b>For 24" and 30" Deep Worksurfaces</b>				
ML-3LEG-24-Q-SV	23	24/30	84x84	\$2,034
<b>For 30" and 36" Deep Worksurfaces</b>				
ML-3LEG-30-Q-SV	29	30/36	84x84	\$2,068

- Silver finish standard.
- Tops specified separately. Bases ship unassembled with tool-free quick-install components.
- Includes adjustable steel frame, adjustable glides and programmable digital control.
- Universal bracket for both 120 degree and 90 degree applications.
- NOTE: The Reach 3-Leg has a C-Style foot - the leg column is 2" off-center, farther from the user side. It will not conflict with any Overture furniture

**Hover Boost Height Adjustable Bases - 2 Leg for Rectangular Worksurfaces**

Electric - 2 Stage



Model Number	T-Foot Length	Worksurface Width	Worksurface Length	Price
<b>For 24" and 30" Deep Worksurfaces</b>				
ML-2STG-2472-??	23	24/30	42/72	\$998
<b>For 30" and 36" Deep Worksurfaces</b>				
ML-2STG-3072-??	29	30/36	42/72	\$1,029

- Silver finish standard. Black and White may require additional lead time.
- Tops specified separately. Bases ship unassembled with tool-free quick-install components.
- Includes adjustable steel frame, adjustable glides and programmable digital control.
- Base can accommodate tops up to 84" with the addition of ML-2LEG-EXKT for \$365

Please visit [Deskmakers.com](https://deskmakers.com) to view our current **Terms and Conditions**.

Please visit [Deskmakers.com](https://deskmakers.com) to view our current **Warranty**.

## Locations

### Los Angeles

Deskmakers Headquarters  
6525 Flotilla Street  
Commerce, CA 90040

### Dallas

Dallas Factory  
1110 Inwood Road Suite 101  
Dallas, TX 75247

---

# DeskMakers

Phone: 323.264.2260 | Fax: 323.725.6960  
[www.deskmakers.com](http://www.deskmakers.com)